

Gruppe	Pilzart	Wirtspflanze
Rost	<i>Melampsorella caryophyllacearum</i>	Abies alba (Weiß-Tanne)
EM	<i>Sawadaea bicornis</i>	Acer campestre (Feld-Ahorn)
EM	<i>Sawadaea bicornis</i>	Acer ginnala (Feuer-Ahorn)
EM	<i>Sawadaea bicornis</i>	Acer negundo (Eschen-Ahorn)
EM	<i>Sawadaea tulasnei</i>	Acer platanoides (Spitz-Ahorn)
EM	<i>Sawadaea bicornis</i>	Acer pseudoplatanus (Berg-Ahorn)
EM	<i>Sawadaea bicornis</i>	Acer saccharinum (Silber-Ahorn)
Rost	<i>Puccinia millefolii</i>	Achillea cretica
Rost	<i>Puccinia millefolii</i>	Achillea millefolium (Wiesen-Schafgarbe)
Brand	<i>Entyloma achilleae</i>	Achillea millefolium (Wiesen-Schafgarbe)
EM	<i>Golovinomyces macrocarpus</i>	Achillea millefolium (Wiesen-Schafgarbe)
EM	<i>Golovinomyces macrocarpus</i>	Achillea nobilis (Edel-Schafgarbe)
Rost	<i>Puccinia ptarmicae</i>	Achillea ptarmica (Sumpf-Schafgarbe)
Rost	<i>Puccinia menthae</i>	Acinos alpinus
Rost	<i>Uromyces lycoctoni</i>	Aconitum lycoctonum
Rost	<i>Puccinia actaeae-agropyri</i>	Aconitum napellus
Rost	<i>Puccinia actaeae-agropyri</i>	Actaea spicata
EM	<i>Erysiphe aquilegiae</i> var. <i>aquilegiae</i>	Actaea spicata (Christophskraut)
Rost	<i>Coleosporium cacaliae</i>	Adenostyles alliariae
Rost	<i>Uromyces cacaliae</i>	Adenostyles alliariae
Rost	<i>Uromyces veratri</i>	Adenostyles alliariae
Rost	<i>Coleosporium cacaliae</i>	Adenostyles glabra
Rost	<i>Uromyces cacaliae</i>	Adenostyles glabra
Rost	<i>Uromyces veratri</i>	Adenostyles glabra
Rost	<i>Puccinia adoxae</i>	Adoxa moschatellina
Rost	<i>Puccinia albescens</i>	Adoxa moschatellina
Rost	<i>Puccinia aegilopis</i>	Aegilops cf. geniculatus
Rost	<i>Puccinia aegopodii</i>	Aegopodium podagraria
FM	<i>Plasmopara nivea</i>	Aegopodium podagraria (Giersch)
Taph	<i>Protomyces macrosporus</i>	Aegopodium podagraria (Giersch)
EM	<i>Erysiphe flexuosa</i>	Aesculus hippocastanum, cult. (Gewöhnliche Rosskastanie)
EM	<i>Erysiphe flexuosa</i>	Aesculus x carnea, cult. (Rotblütige Kastanie)
Rost	<i>Puccinia nitida</i>	Aethusa cynapium
Rost	<i>Puccinia cf. hyssopi</i>	Agastache cf. pringlei
Rost	<i>Puccinia cf. hyssopi</i>	Agastache nepetoides
Rost	<i>Pucciniastrum agrimoniae</i>	Agrimonia eupatoria
FM	<i>Peronospora agrimoniae</i>	Agrimonia eupatoria (Odermennig)
Rost	<i>Puccinia coronata</i>	Agrostis canina
Rost	<i>Puccinia coronata</i>	Agrostis capillaris
Rost	<i>Puccinia graminis</i>	Agrostis capillaris
Rost	<i>Puccinia graminis</i>	Agrostis gigantea
Brand	<i>Ustilago striiformis s.l.</i>	Agrostis rupestris (Felsen-Straußgras)
Rost	<i>Puccinia graminis</i>	Agrostis stolonifera
EM	<i>Neoerysiphe galeopsidis</i>	Ajuga genevensis (Genfer Günsel)

EM	<i>Neoerysiphe galeopsidis</i>	Ajuga reptans (Kriech-Günsel)
Rost	<i>Puccinia malvacearum</i>	Alcea ficifolia
Rost	<i>Puccinia malvacearum</i>	Alcea rosea
Rost	<i>Trachyspora melospora</i>	Alchemilla alpigena
Rost	<i>Trachyspora intrusa</i>	Alchemilla exigua
Rost	<i>Trachyspora intrusa</i>	Alchemilla glaucescens
Rost	<i>Trachyspora intrusa</i>	Alchemilla monticola
Rost	<i>Trachyspora intrusa</i>	Alchemilla vulgaris agg.
EM	<i>Podosphaera aphanis</i>	Alchemilla vulgaris agg. (Gewöhnlichen Frauenmantel)
FM	<i>Peronospora alchemillae</i>	Alchemilla vulgaris agg. (Gewöhnlicher Frauenmantel)
EM	<i>Podosphaera aphanis</i>	Alchemilla xanthochlora (Gelbgrüner Frauenmantel)
EM	<i>Erysiphe cruciferarum</i>	Alliaria petiolata (Knoblauchsrauke)
FM	<i>Hyaloperonospora niessliana</i>	Alliaria petiolata (Lauchkraut)
Rost	<i>Puccinia allii</i>	Allium ampeloprasum
Rost	<i>Uromyces ambiguus</i>	Allium ampeloprasum
Rost	<i>Puccinia sessilis</i>	Allium angulosum
Rost	<i>Uromyces ambiguus</i>	Allium ascalonicum
Rost	<i>Puccinia allii</i>	Allium carinatum
Rost	<i>Uromyces ambiguus</i>	Allium cepa
Rost	<i>Uromyces ambiguus</i>	Allium fistulosum
Rost	<i>Puccinia allii</i>	Allium flavum
Rost	<i>Uromyces ambiguus</i>	Allium nigrum
Rost	<i>Caecoma allii-ursini</i>	Allium oleraceum
Rost	<i>Puccinia mixta</i>	Allium oleraceum
Rost	<i>Puccinia mixta</i>	Allium porrum
Rost	<i>Uromyces ambiguus</i>	Allium sativum
Rost	<i>Puccinia mixta</i>	Allium schoenoprasum
Rost	<i>Puccinia mixta</i>	Allium scorodoprasum
Rost	<i>Uromyces ambiguus</i>	Allium scorodoprasum
Rost	<i>Uromyces ambiguus</i>	Allium sp., cult.
Rost	<i>Puccinia allii</i>	Allium sphaerocephalon
Rost	<i>Puccinia allii</i>	Allium suaveolens
Rost	<i>Puccinia allii</i>	Allium subhirsutum
Rost	<i>Caecoma allii-ursini</i>	Allium ursinum
Rost	<i>Puccinia sessilis</i>	Allium ursinum
Rost	<i>Uromyces japonicus</i>	Allium victorialis
Rost	<i>Puccinia allii</i>	Allium vineale
Rost	<i>Puccinia mixta</i>	Allium vineale
Rost	<i>Melampsorium hiratsukanum</i>	Alnus cordata
Rost	<i>Melampsorium hiratsukanum</i>	Alnus glutinosa
EM	<i>Erysiphe penicillata</i>	Alnus glutinosa (Schwarz-Erle)
EM	<i>Phyllactinia alnicola</i>	Alnus glutinosa (Schwarz-Erle)
Taph	<i>Taphrinaalni</i>	Alnus glutinosa (Schwarz-Erle)
Taph	<i>Taphrina sadebeckii</i>	Alnus glutinosa (Schwarz-Erle)
Taph	<i>Taphrina tosquinetii</i>	Alnus glutinosa (Schwarz-Erle)
Rost	<i>Melampsorium hiratsukanum</i>	Alnus incana
Rost	<i>Melampsorium hiratsukanum</i>	Alnus incana subsp. rugosa

Rost	<i>Melampsorium hiratsukanum</i>	Alnus incana subsp. tenuifolia
Rost	<i>Melampsorium hiratsukanum</i>	Alnus sinuata
Rost	<i>Puccinia graminis</i>	Alopecurus aequalis
EM	<i>Blumeria graminis-Gruppe</i>	Alopecurus myosoroides (Acker-Fuchsschwanzgras)
Rost	<i>Puccinia coronata</i>	Alopecurus pratensis
Rost	<i>Puccinia graminis</i>	Alopecurus pratensis
Rost	<i>Puccinia perplexans</i>	Alopecurus pratensis
Brand	<i>Ustilago striiformis s.l.</i>	Alopecurus pratensis (Wiesen-Fuchsschwanz)
Brand	<i>Urocystis alopecuri</i>	Alopecurus pratensis (Wiesen-Fuchsschwanzgras)
Rost	<i>Puccinia malvacearum</i>	Althaea cannabina
Rost	<i>Puccinia malvacearum</i>	Althaea hirsuta
Rost	<i>Puccinia malvacearum</i>	Althaea officinalis
FM	<i>Albugo candidas.l.</i>	Alyssoides utriculata (Blasenschötchen)
FM	<i>Albugo candidas.l.</i>	Alyssum saxatile (Felsen-Steinkraut)
FM	<i>Albugo amaranthi</i>	Amaranthus retroflexus (Zurückgekrümmter Fuchsschwanz)
EM	<i>Podospaera amelanchieris</i>	Amelanchier lamarckii, cult. (Kupfer-Felsenbirne)
Rost	<i>Gymnosporangium amelanchieris</i>	Amelanchier ovalis
EM	<i>Erysiphe lycopsidis</i>	Anchusa arvensis (Acker-Krummhals)
Brand	<i>Exobasidium karstenii</i>	Andromeda polifolia (Rosmarinheide)
Rost	<i>Ochropsora ariae</i>	Anemone apennina
Rost	<i>Tranzschelia fusca</i>	Anemone baldensis
Brand	<i>Urocystis antipolitana</i>	Anemone baldensis (Tiroler Windröschen)
Rost	<i>Ochropsora ariae</i>	Anemone blanda
Rost	<i>Tranzschelia discolor</i>	Anemone coronaria
Rost	<i>Ochropsora ariae</i>	Anemone nemorosa
Rost	<i>Tranzschelia fusca</i>	Anemone nemorosa
Brand	<i>Urocystis anemones</i>	Anemone nemorosa (Busch-Windröschen)
FM	<i>Plasmoverna pygmaea</i>	Anemone nemorosa (Busch-Windröschen)
Rost	<i>Ochropsora ariae</i>	Anemone ranunculoides
Rost	<i>Puccinia singularis</i>	Anemone ranunculoides
Rost	<i>Tranzschelia pruni-spinosae</i>	Anemone ranunculoides
FM	<i>Plasmoverna anemones-ranunculoides</i>	Anemone ranunculoides (Gelbes Windröschen)
Rost	<i>Puccinia pulsatillae</i>	Anemone sylvestris
Rost	<i>Ochropsora ariae</i>	Anemone trifolia
Rost	<i>Tranzschelia fusca</i>	Anemone trifolia
Rost	<i>Puccinia angelicae</i>	Angelica archangelica ssp. Littoralis
Rost	<i>Puccinia angelicae</i>	Angelica sylvestris
EM	<i>Erysiphe heraclei</i>	Angelica sylvestris (Gewöhnliche Engelwurz)
FM	<i>Plasmopara angelicae</i>	Angelica sylvestris (Wald-Engelwurz)
Rost	<i>Puccinia anthoxanthina</i>	Anthoxanthum odoratum
EM	<i>Erysiphe heraclei</i>	Anthriscus sylvestris (Wiesen-Kerbel)
Rost	<i>Puccinia chaerophylli</i>	Anthriscus sylvestris
Rost	<i>Uromyces anthyllidis s.str.</i>	Anthyllis alpestris
Rost	<i>Uromyces physanthyllidis</i>	Anthyllis tetraphylla
Rost	<i>Uromyces anthyllidis s.str.</i>	Anthyllis vulneraria

Rost	<i>Puccinia antirrhini</i>	Antirrhinum majus
FM	<i>Peronospora antirrhini</i>	Antirrhinum majus (Großes Löwenmaul)
FM	<i>Peronospora antirrhini</i>	Antirrhinum sempervirens (Immergrünes Löwenmaul)
EM	<i>Blumeria graminis-Gruppe</i>	Apera spica-venti (Acker-Windhalm)
Rost	<i>Uromyces lineolatus</i>	Apium graveolens
Rost	<i>Coleosporium aposeridis</i>	Aposeris foetida
Taph	<i>Protomyces kreuthensis</i>	Aposeris foetida (Hainsalat)
EM	<i>Erysiphe aquilegiae</i> var. <i>aquilegiae</i>	Aquilegia vulgaris, cult. (Akelei)
FM	<i>Albugo candidas.l.</i>	Arabidopsis thaliana (Acker-Schmalwand)
FM	<i>Hyaloperonospora arabidopsis</i>	Arabidopsis thaliana (Acker-Schmalwand)
FM	<i>Albugo candidas.l.</i>	Arabis alpina (Alpen-Gänsekresse)
FM	<i>Albugo candidas.l.</i>	Arabis bellidifolia subsp. stellulata (Sternhaarige Gänsekresse)
EM	<i>Erysiphe cruciferarum</i>	Arabis caucasica (Kaukasische Gänsekresse)
FM	<i>Albugo candidas.l.</i>	Arabis glabra (Kahle Gänsekresse)
FM	<i>Peronospora arabidis-glabrae</i>	Arabis glabra (Kahle Gänsekresse)
Rost	<i>Puccinia thlaspeos</i>	Arabis hirsuta
Brand	<i>Thecaphora thlaspeos</i>	Arabis hirsuta (Behaarte Gänsekresse)
FM	<i>Albugo candidas.l.</i>	Arabis hirsuta (Behaarte Gänsekresse)
EM	<i>Erysiphe cruciferarum</i>	Arabis hirsuta (Behaarte Gänsekresse)
Rost	<i>Puccinia thlaspeos</i>	Arabis nemorensis
FM	<i>Peronospora arabidis-hirsutae</i>	Arabis nemorensis (Hain-Gänsekresse)
Rost	<i>Puccinia bardanae</i>	Arctium lappa
EM	<i>Golovinomyces depressus</i>	Arctium lappa (Große Klette)
Rost	<i>Puccinia bardanae</i>	Arctium minus
FM	<i>Bremia lactucae</i> var. <i>arctii</i>	Arctium minus (Kleine Klette)
EM	<i>Golovinomyces depressus</i>	Arctium minus (Kleine Klette)
Rost	<i>Puccinia bardanae</i>	Arctium tomentosum
Rost	<i>Thekopsora sparsa</i>	Arctostaphylos alpinus
Brand	<i>Exobasidium sydowianum</i>	Arctostaphylos uva-ursi (Gewöhnliche Bärentraube)
Brand	<i>Exobasidium uvae-ursi</i>	Arctostaphylos uva-ursi (Immergrüne Bärentraube)
Rost	<i>Microbotryum stellariae</i>	Arenaria biflora
Rost	<i>Puccinia arenariae</i>	Arenaria serpyllifolia (
FM	<i>Peronospora campestris</i>	Arenaria serpyllifolia subsp. serpyllifolia (Quendelblättriges Sandkraut)
Rost	<i>Puccinia chrysanthemi</i>	Argyranthemum frutescens
Rost	<i>Puccinia aristolochiae</i>	Aristolochia lutea
Rost	<i>Puccinia aristolochiae</i>	Aristolochia pallida
Rost	<i>Puccinia aristolochiae</i>	Aristolochia rotunda
Rost	<i>Uromyces armeriae</i>	Armeria alpina
Rost	<i>Uromyces armeriae</i>	Armeria maritima cult
Rost	<i>Uromyces armeriae</i>	Armeria maritima subsp. elongata
EM	<i>Erysiphe cruciferarum</i>	Armoracia rusticana (Meerrettich)
Brand	<i>Entyloma arnicale</i>	Arnica montana (Arnika)
Brand	<i>Entyloma arnosericis</i>	Arnosericis minima (Lämmersalat)
Rost	<i>Puccinia arrhenatheri</i>	Arrhenatherum elatius
Rost	<i>Puccinia coronata</i>	Arrhenatherum elatius

Rost	<i>Puccinia graminis</i>	Arrhenatherum elatius
Brand	<i>Urocystis avenae-elatioris</i>	Arrhenatherum elatius (Gewöhnlicher Glatthafer)
Brand	<i>Ustilago avenae</i>	Arrhenatherum elatius (Gewöhnlicher Glatthafer)
Brand	<i>Ustilago striiformis s.l.</i>	Arrhenatherum elatius (Glatthafer)
Rost	<i>Puccinia absinthii</i>	Artemisia absinthium
Rost	<i>Puccinia artemisiicola</i>	Artemisia campestris
EM	<i>Golovinomyces artemisiae</i>	Artemisia campestris (Feld-Beifuß)
Rost	<i>Puccinia artemisiae-maritimae</i>	Artemisia maritima
Rost	<i>Puccinia artemisiella</i>	Artemisia vulgaris
Rost	<i>Puccinia ferruginosa</i>	Artemisia vulgaris
EM	<i>Golovinomyces artemisiae</i>	Artemisia vulgaris (Gewöhnlicher Beifuß)
Rost	<i>Puccinia sessilis</i>	Arum maculatum
Brand	<i>Melanustilospora ari</i>	Arum maculatum (Aronstab)
Rost	<i>Ochropsora ariae</i>	Aruncus dioicus
Rost	<i>Puccinia asarina</i>	Asarum europaeum
Rost	<i>Puccinia asparagi</i>	Asparagus officinalis
Rost	<i>Puccinia asperulae-cynanchicae</i>	Asperula cynanchica
Rost	<i>Puccinia asphodeli</i>	Asphodelus ramosus
Rost	<i>Puccinia unamunoi</i>	Asphodelus tenuifolius
Rost	<i>Milesina murariae</i>	Asplenium ruta-muraria
Rost	<i>Milesina scolopendrii</i>	Asplenium scolopendrium
Brand	<i>Entyloma bellidiastri</i>	Aster amellus (Kalk-Aster)
Rost	<i>Puccinia linosyridis-caricis</i>	Aster linosyris
Rost	<i>Coleosporium carpesii</i>	Asteriscus maritimus
Rost	<i>Uromyces astragali-alopecuri</i>	Astragalus alopecurus
Rost	<i>Uromyces lapponicus</i>	Astragalus alpinus
FM	<i>Peronospora phacae</i>	Astragalus cicer (Kicher-Tragant)
Rost	<i>Uromyces punctatus s.str.</i>	Astragalus danicus
Rost	<i>Uromyces jordanus</i>	Astragalus exscapus
Rost	<i>Uromyces punctatus s.str.</i>	Astragalus glycyphyllos
EM	<i>Erysiphe astragali</i>	Astragalus glycyphyllos (Bärenschote)
FM	<i>Peronospora phacae</i>	Astragalus penduliflorus (Blasen-Tragant)
Rost	<i>Puccinia astrantiae</i>	Astrantia major
Rost	<i>Puccinia astrantiae</i>	Astrantia minor
Rost	<i>Puccinia polygoni-vivipari</i>	Astrantia minor
Rost	<i>Puccinia athamanthina</i>	Athamanta cretensis
FM	<i>Peronospora minor s.l.</i>	Atriplex prostrata (Spieß-Melde)
FM	<i>Albugo candidas.l.</i>	Aubrieta-Hybride (Blaukissen)
FM	<i>Hyaloperonospora galligena</i>	Aurinia saxatilis (Felsen-Steinkraut)
Rost	<i>Puccinia graminis</i>	Avena sativa
EM	<i>Erysiphe guarinonii</i>	Baptisia australis, cult. (Indigolupine)
FM	<i>Hyaloperonospora barbareae</i>	Barbarea vulgaris (Gewöhnliches Barbenkraut)
Rost	<i>Uromyces muscari</i>	Bellevia dubia
Brand	<i>Antherospora tourneuxii</i>	Bellevia dubia
Rost	<i>Uromyces muscari</i>	Bellevia trifoliata
Rost	<i>Puccinia bellidiastri</i>	Bellidiastrum michelii
Brand	<i>Entyloma bellidiastri</i>	Bellidiastrum michelii (Alpen-Maßliebchen)

Rost	<i>Puccinia firma</i>	Bellidiastrum michelii
Rost	<i>Puccinia lagenophorae</i>	Bellis perennis
Brand	<i>Entyloma bellidis</i>	Bellis perennis (Gänseblümchen)
EM	<i>Golovinomyces cichoracearum-Gruppe</i>	Bellis perennis (Gänseblümchen)
EM	<i>Erysiphe berberidis</i>	Berberis thunbergii, cult. (Thunberg's Berberitze)
Rost	<i>Puccinia arrhenatheri</i>	Berberis vulgaris
Rost	<i>Puccinia graminis</i>	Berberis vulgaris
EM	<i>Erysiphe berberidis</i>	Berberis vulgaris (Gewöhnliche Berberitze)
FM	<i>Albugo candidas.l.</i>	Berteroa incana (Gewöhnliche Graukresse)
EM	<i>Erysiphe cruciferarum</i>	Berteroa incana (Graukresse)
Rost	<i>Uromyces beticola</i>	Beta patellaris
Rost	<i>Uromyces beticola</i>	Beta vulgaris subsp. maritima
Rost	<i>Uromyces beticola</i>	Beta vulgaris subsp. vulgaris
Rost	<i>Microbotryum betonicae</i>	Betonica alopecuros
Rost	<i>Melampsorium betulinum</i>	Betula fruticosa
EM	<i>Phyllactinia betulae</i>	Betula jacquemontii (Himalaya-Birke)
Rost	<i>Melampsorium betulinum</i>	Betula nana
Rost	<i>Melampsorium betulinum</i>	Betula occidentalis
Rost	<i>Melampsorium betulinum</i>	Betula papyrifera
Rost	<i>Melampsorium betulinum</i>	Betula pendula
Taph	<i>Taphrina betulae</i>	Betula pendula (Birke)
Taph	<i>Taphrina betulina</i>	Betula pendula (Birke)
EM	<i>Phyllactinia betulae</i>	Betula pendula (Hänge-Birke)
Rost	<i>Melampsorium betulinum</i>	Betula pubescens
EM	<i>Erysiphe ornata</i>	Betula pubescens (Moor-Birke)
EM	<i>Phyllactinia betulae</i>	Betula pubescens (Moor-Birke)
FM	<i>Albugo candidas.l.</i>	Biscutella laevigata (Glattes Brillenschötchen)
EM	<i>Erysiphe cruciferarum</i>	Biscutella laevigata (Glattes Brillenschötchen)
Rost	<i>Microbotryum bistortarum</i>	Bistorta officinalis
Rost	<i>Microbotryum marginale</i>	Bistorta officinalis
Rost	<i>Microbotryum pustulatum</i>	Bistorta officinalis
Rost	<i>Microbotryum bistortarum</i>	Bistorta vivipara
Rost	<i>Microbotryum pustulatum</i>	Bistorta vivipara
Rost	<i>Puccinia mei-mamillata</i>	Bistorta vivipara
Rost	<i>Puccinia polygoni-vivipari</i>	Bistorta vivipara
Rost	<i>Milesina blechni</i>	Blechnum spicant
Rost	<i>Uromyces lineolatus</i>	Bolboschoenus maritimus
Brand	<i>Entyloma boraginis</i>	Borago officinalis (Borretsch)
Rost	<i>Puccinia brachypodii</i>	Brachypodium pinnatum
Brand	<i>Tilletia olida</i>	Brachypodium pinnatum (Gewöhnliche Fieder-Zwenke)
Rost	<i>Puccinia brachypodii</i>	Brachypodium sylvaticum
Brand	<i>Tilletia olida</i>	Brachypodium sylvaticum (Wald Fieder-Zwenke)
FM	<i>Hyaloperonospora brassicae</i>	Brassica napus (Raps)
EM	<i>Erysiphe cruciferarum</i>	Brassica napus (Raps)
FM	<i>Hyaloperonospora brassicae</i>	Brassica oleracea (Klippen-Kohl)
Rost	<i>Puccinia graminis</i>	Briza media

Brand	<i>Ustilago striiformis s.l.</i>	Briza media (Zittergras)
Rost	<i>Puccinia bromina</i>	Bromus diandrus
Rost	<i>Puccinia coronata</i>	Bromus erectus
Rost	<i>Puccinia symphyti-bromorum</i>	Bromus erectus
Brand	<i>Tranzscheliella hypodytes</i>	Bromus erectus (Aufrechte Trespe)
Brand	<i>Urocystis bromi</i>	Bromus erectus (Aufrechte Trespe)
Brand	<i>Ustilago striiformis s.l.</i>	Bromus erectus (Aufrechte Trespe)
Rost	<i>Puccinia bromina</i>	Bromus hordeaceus
EM	<i>Blumeria graminis-Gruppe</i>	Bromus hordeaceus (Weicher Trespe)
Rost	<i>Puccinia graminis</i>	Bromus inermis
Rost	<i>Puccinia symphyti-bromorum</i>	Bromus inermis
Brand	<i>Ustilago striiformis s.l.</i>	Bromus inermis (Wehrlose Trespe)
Rost	<i>Puccinia bromina</i>	Bromus sterilis
Rost	<i>Puccinia graminis</i>	Bromus sterilis
EM	<i>Blumeria graminis-Gruppe</i>	Bromus sterilis (Taube Trespe)
Rost	<i>Puccinia bulbocastani</i>	Bunium bulbocastanum
Rost	<i>Puccinia bulbocastani</i>	Bunium ferulaceum
Rost	<i>Uromyces junci</i>	Buphthalmum salicifolium
Rost	<i>Puccinia bupleuri</i>	Bupleurum falcatum
Rost	<i>Puccinia bupleuri-stellati</i>	Bupleurum stellatum
Rost	<i>Puccinia bupleuri-stellati</i>	Bupleurum stellatum
Brand	<i>Doassansia niesslii</i>	Butomus umbellatus (Schwanenblume)
Rost	<i>Puccinia buxi</i>	Buxus sempervirens
FM	<i>Albugo candidas.l.</i>	Cakile maritima subsp. maritima (Gewöhnlicher Meersenf)
Rost	<i>Puccinia coronata</i>	Calamagrostis epigejos
Rost	<i>Puccinia graminis</i>	Calamagrostis epigejos
Rost	<i>Puccinia pygmaea</i>	Calamagrostis epigejos
Brand	<i>Ustilago calamagrostidis</i>	Calamagrostis epigejos (Land-Reitgras)
Rost	<i>Puccinia pygmaea</i>	Calamagrostis villosa
Brand	<i>Entyloma calendulae</i>	Calendula officinalis (Garten-Ringelblume)
Brand	<i>Urocystis callianthemi</i>	Callianthemum coriandrifolium (Korianderblättrige Schmuckblume)
Rost	<i>Puccinia calthae</i>	Caltha palustris
Rost	<i>Puccinia calthicola</i>	Caltha palustris
EM	<i>Erysiphe aquilegiae var. aquilegiae</i>	Caltha palustris (Sumpf-Dotterblume)
Rost	<i>Puccinia convolvuli</i>	Calystegia sepium
EM	<i>Erysiphe convolvuli var. calystegiae</i>	Calystegia sepium (Ufer-Zaunwinde)
FM	<i>Hyaloperonospora camelinae</i>	Camelina microcarpa (Kleinfrüchter Hohldotter)
Rost	<i>Coleosporium campanulae</i>	Campanula cochleariifolia
Rost	<i>Puccinia rytzii</i>	Campanula cochleariifolia
Rost	<i>Coleosporium campanulae</i>	Campanula erinus
Rost	<i>Coleosporium campanulae</i>	Campanula glomerata 'Dahurica'
Rost	<i>Coleosporium campanulae</i>	Campanula hagielia
Rost	<i>Coleosporium campanulae</i>	Campanula latifolia
Rost	<i>Coleosporium campanulae</i>	Campanula patula

Rost	<i>Coleosporium campanulae</i>	Campanula persicifolia
Rost	<i>Coleosporium campanulae</i>	Campanula ramosissima
Rost	<i>Coleosporium campanulae</i>	Campanula rapunculoides
Rost	<i>Coleosporium campanulae</i>	Campanula rapunculus
Rost	<i>Puccinia campanulae</i>	Campanula rapunculus
Rost	<i>Coleosporium campanulae</i>	Campanula rotundifolia
Rost	<i>Coleosporium campanulae</i>	Campanula scheuchzeri
Rost	<i>Coleosporium campanulae</i>	Campanula trachelium
Rost	<i>Coleosporium campanulae</i>	Campanula-Hybride 'Kent Belle'
FM	<i>Albugo candidas.l.</i>	Capsella bursa-pastoris (Hirtentäschelkraut)
FM	<i>Hyaloperonospora parasitica</i>	Capsella bursa-pastoris (Hirtentäschelkraut)
Rost	<i>Puccinia cruciferarum</i>	Cardamine alpina
FM	<i>Albugo candidas.l.</i>	Cardamine amara (Bitteres Schaumkraut)
FM	<i>Peronospora dentariae</i>	Cardamine bulbifera (Zwiebel-Zahnwurz)
FM	<i>Peronospora dentariae</i>	Cardamine flexuosa (Wald-Schaumkraut)
FM	<i>Albugo candidas.l.</i>	Cardamine hirsuta (Behaartes Schaumkraut)
FM	<i>Peronospora dentariae</i>	Cardamine hirsuta (Behaartes Schaumkraut)
FM	<i>Peronospora dentariae</i>	Cardamine impatiens (Spring-Schaumkraut)
FM	<i>Albugo candidas.l.</i>	Cardamine pratensis (Wiesen-Schaumkraut)
FM	<i>Peronospora dentariae</i>	Cardamine pratensis (Wiesen-Schaumkraut)
Rost	<i>Puccinia cruciferarum</i>	Cardamine resedifolia
FM	<i>Hyaloperonospora parasitica</i>	Cardaria draba (Spitze Pfeilkresse)
Rost	<i>Puccinia cardui-pycnocephali</i>	Carduus acanthoides
Rost	<i>Puccinia carduorum</i>	Carduus acanthoides
Rost	<i>Puccinia carduorum</i>	Carduus carduelis
Rost	<i>Puccinia carduorum</i>	Carduus crispus
EM	<i>Golovinomyces montagnei</i>	Carduus crispus (Krause Distel)
Rost	<i>Microbotryum cardui</i>	Carduus defloratus
Rost	<i>Puccinia carduorum</i>	Carduus defloratus
EM	<i>Golovinomyces montagnei</i>	Carduus defloratus (Berg-Distel)
Rost	<i>Puccinia carduorum</i>	Carduus nutans
Rost	<i>Puccinia carduorum</i>	Carduus personata
Rost	<i>Puccinia urticae-acutae</i>	Carex acuta
Brand	<i>Anthracoidea echinospora</i>	Carex acuta (Schlank-Segge)
Rost	<i>Puccinia urticae-acutiformis</i>	Carex acutiformis
Brand	<i>Anthracoidea subinclusa</i>	Carex acutiformis (Sumpf-Segge)
Rost	<i>Puccinia dioicae</i>	Carex alba
Brand	<i>Anthracoidea caricis-albae</i>	Carex alba (Weiße Segge)
Brand	<i>Anthracoidea arenariae</i>	Carex arenaria
Rost	<i>Puccinia silvatica</i>	Carex brizoides
Brand	<i>Anthracoidea arenariae</i>	Carex brizoides (Zittergras-Segge)
Brand	<i>Anthracoidea capillaris</i>	Carex capillaris (Haarstiellige Segge)
Rost	<i>Puccinia linosyridis-caricis</i>	Carex caryophyllea
Brand	<i>Anthracoidea caryophylleae</i>	Carex caryophyllea (Frühlings-Segge)
Brand	<i>Anthracoidea curvulae</i>	Carex curvula (Krumm-Segge)
Brand	<i>Orphanomyces arcticus</i>	Carex davalliana (Davalls Segge)
Rost	<i>Puccinia tirolensis</i>	Carex digitata

Brand	<i>Anthracoidea irregularis</i>	Carex digitata (Finger-Segge)
Brand	<i>Anthracoidea kariii</i>	Carex echinata (Igel-Segge)
Brand	<i>Anthracoidea sempervirentis</i>	Carex ferruginea (Rost-Segge)
Rost	<i>Puccinia firma</i>	Carex firma
Brand	<i>Anthracoidea sempervirentis</i>	Carex firma (Polster-Segge)
Brand	<i>Schizonella melanogramma</i>	Carex firma (Polster-Segge)
Rost	<i>Puccinia urticae-flacca</i>	Carex flacca
Rost	<i>Puccinia urticae-hirtae</i>	Carex hirta
Brand	<i>Anthracoidea subinclusa</i>	Carex hirta (Behaarte Segge)
Rost	<i>Puccinia humilicola</i>	Carex humilis
Rost	<i>Puccinia linosyridis-caricis</i>	Carex humilis
Brand	<i>Anthracoidea humilis</i>	Carex humilis (Erd-Segge)
Brand	<i>Schizonella cocconii</i>	Carex humilis (Niedrige Segge)
Rost	<i>Puccinia schroeteriana</i>	Carex lepidocarpa
Rost	<i>Puccinia caricis-montanae</i>	Carex leporina
Rost	<i>Puccinia caricis-montanae</i>	Carex montana
Brand	<i>Anthracoidea caricis</i>	Carex montana (Berg-Segge)
Brand	<i>Anthracoidea sempervirentis</i>	Carex mucronata (Stachelspitzige Segge)
Brand	<i>Anthracoidea vankyi</i>	Carex muricata (Sparrige Segge)
Rost	<i>Puccinia arenariicola</i>	Carex muricata agg.
Rost	<i>Puccinia opizii</i>	Carex muricata agg.
Rost	<i>Puccinia paludosa</i>	Carex nigra
Rost	<i>Puccinia pringsheimiana</i>	Carex nigra
Brand	<i>Urocystis fischeri</i>	Carex nigra (Braun-Segge)
Rost	<i>Puccinia tirolensis</i>	Carex ornithopoda
Brand	<i>Anthracoidea irregularis</i>	Carex ornithopoda (Vogelfuß-Segge)
Rost	<i>Puccinia biporospora</i>	Carex pallescens
Brand	<i>Anthracoidea pseudirregularis</i>	Carex pallescens (Bleiche Segge)
Rost	<i>Puccinia urticae-paniceae</i>	Carex panicea
Rost	<i>Puccinia ribis-nigri-paniculatae</i>	Carex paniculata
Rost	<i>Puccinia ribesii-pendulae</i>	Carex pendula
Rost	<i>Puccinia urticata s. l.</i>	Carex pendula
Rost	<i>Puccinia urticae-pilosae</i>	Carex pilosa
Brand	<i>Anthracoidea pilosae</i>	Carex pilosa (Wimper-Segge)
Brand	<i>Anthracoidea caricis</i>	Carex pilulifera (Pillen-Segge)
Rost	<i>Puccinia silvatica</i>	Carex praecox
Brand	<i>Anthracoidea arenariae</i>	Carex praecox (Frühe Segge)
Rost	<i>Puccinia caricina s. str.</i>	Carex pseudocyperus
Rost	<i>Puccinia urticae-ripariae</i>	Carex riparia
Brand	<i>Anthracoidea subinclusa</i>	Carex riparia (Ufer-Segge)
Rost	<i>Puccinia urticae-inflatae</i>	Carex rostrata
Brand	<i>Urocystis fischeri</i>	Carex rostrata (Geschnäbelte Segge)
Brand	<i>Anthracoidea inclusa</i>	Carex rostrata (Schnabel-Segge)
Rost	<i>Uromyces caricis-sempervirentis</i>	Carex sempervirens
Brand	<i>Anthracoidea sempervirentis</i>	Carex sempervirens (Horst-Segge)
Brand	<i>Schizonella melanogramma</i>	Carex sempervirens (Immergrüne Segge)

Rost	<i>Puccinia caricicola</i>	Carex supina
Brand	<i>Anthracoidea caryophylleae</i>	Carex supina (Niedrige Segge)
Rost	<i>Puccinia urticae-vesicariae</i>	Carex vesicaria
Brand	<i>Anthracoidea subinclusa</i>	Carex vesicaria (Blasen-Segge)
Rost	<i>Puccinia vulpinae</i>	Carex vulpina
Rost	<i>Puccinia carlinae</i>	Carlina acaulis
FM	<i>Bremia lactucae s.l.</i>	Carlina acaulis subsp. acaulis (Silberdistel)
Rost	<i>Puccinia divergens</i>	Carlina vulgaris
Rost	<i>Melampsorium carpini</i>	Carpinus betulus
EM	<i>Erysiphe arcuata</i>	Carpinus betulus (Hainbuche)
Rost	<i>Puccinia cnici-oleracei</i>	Carthamus sp.
Taph	<i>Protomyces macrosporus</i>	Carum carvi (Wiesen-Kümmel)
EM	<i>Erysiphe elevata</i>	Catalpa bingonioides, cult. (Gewöhnlicher Trompetenbaum)
Brand	<i>Sporisorium penniseti</i>	Cenchrus ciliatus (Klettengras)
Rost	<i>Puccinia cnici-oleracei</i>	Centaurea benedicta
Rost	<i>Puccinia cyani</i>	Centaurea cyanus
FM	<i>Bremia lactucae s.l.</i>	Centaurea cyanus (Kornblume)
Rost	<i>Puccinia centaureae</i>	Centaurea deusta (
Rost	<i>Puccinia caricis-montanae</i>	Centaurea jacea
Rost	<i>Puccinia centaureae</i>	Centaurea jacea
Rost	<i>Puccinia jaceae</i>	Centaurea jacea
Rost	<i>Puccinia arenariicola- Artengruppe</i>	Centaurea montana
Rost	<i>Puccinia montana</i>	Centaurea montana
EM	<i>Golovinomyces depressus</i>	Centaurea montana (Berg-Flockenblume)
Rost	<i>Puccinia centaureae</i>	Centaurea nemoralis
Rost	<i>Puccinia centaureae</i>	Centaurea nervosa
Rost	<i>Puccinia jaceae</i>	Centaurea nigrescens
Rost	<i>Puccinia centaureae</i>	Centaurea pseudophrygia
Rost	<i>Puccinia jaceae</i>	Centaurea pseudophrygia
Rost	<i>Puccinia verruca</i>	Centaurea pullata
Rost	<i>Puccinia caricis-montanae</i>	Centaurea scabiosa
Rost	<i>Puccinia centaureae</i>	Centaurea scabiosa
Rost	<i>Puccinia verruca</i>	Centaurea scabiosa
Rost	<i>Puccinia caricis-montanae</i>	Centaurea stoebe
Rost	<i>Puccinia centaureae</i>	Centaurea stoebe
Rost	<i>Puccinia jaceae</i>	Centaurea stoebe
Rost	<i>Puccinia montana</i>	Centaurea triumfettii
Rost	<i>Puccinia gladioli</i>	Centranthus calcitrapa
Rost	<i>Microbotryum duriaeanum</i>	Cerastium brachypetalum
Rost	<i>Puccinia arenariae</i>	Cerastium carinthiacum
Rost	<i>Microbotryum duriaeanum</i>	Cerastium glomeratum
FM	<i>Peronospora tomentosa</i>	Cerastium glomeratum (Knäuel-Hornkraut)
Rost	<i>Microbotryum duriaeanum</i>	Cerastium glutinosum
FM	<i>Peronospora paula</i>	Cerastium holosteoides (Gewöhnliches Hornkraut)
FM	<i>Peronospora conferta</i>	Cerastium holosteoides (Gewöhnliches Hornkraut)

Rost	<i>Microbotryum duriaeanum</i>	Cerastium pumilum
FM	<i>Peronospora paula</i>	Cerastium semidecandrum (Sand-Hornkraut)
Rost	<i>Melampsorella caryophyllacearum</i>	Cerastium tomentosum
Rost	<i>Puccinia cerinthes-agropyrina</i>	Cerinthe major
Rost	<i>Puccinia retifera</i>	Chaerophyllum aureum
Rost	<i>Puccinia retifera</i>	Chaerophyllum bulbosum
EM	<i>Erysiphe heraclei</i>	Chaerophyllum bulbosum (Knolliger Kälberkropf)
Rost	<i>Puccinia pozzii</i>	Chaerophyllum hirsutum
Rost	<i>Puccinia retifera</i>	Chaerophyllum hirsutum
EM	<i>Erysiphe heraclei</i>	Chaerophyllum hirsutum (Behaarter Kälberkropf)
Rost	<i>Puccinia chaerophylli</i>	Chaerophyllum temulum
Rost	<i>Puccinia retifera</i>	Chaerophyllum villarsii
Rost	<i>Uromyces genistae</i>	Chamaecytisus ratisbonensis
Rost	<i>Milesina wilczekiana</i>	Cheilanthes acrostica
Rost	<i>Melampsora magnusiana</i>	Chelidonium majus
FM	<i>Peronospora chenopodii</i>	Chenopodium album (Weißer Gänsefuß)
FM	<i>Peronospora chenopodii</i>	Chenopodium hybridum (Stechapfelblättriger Gänsefuß)
FM	<i>Peronospora chenopodii-polyspermi</i>	Chenopodium polyspermum (Vielsamiger Gänsefuß)
FM	<i>Peronospora chenopodii</i>	Chenopodium strictum (Aufrechter Gänsefuß)
Rost	<i>Puccinia chondrillina</i>	Chondrilla juncea
FM	<i>Peronospora radii</i>	Chrysanthemum segetum (Saat-Wucherblume)
Rost	<i>Puccinia chrysosplenii</i>	Chrysosplenium alternifolium
Brand	<i>Entyloma chrysosplenii</i>	Chrysosplenium alternifolium (Wechselblättriges Milzkraut)
FM	<i>Peronospora chrysosplenii</i>	Chrysosplenium alternifolium (Wechselblättriges Milzkraut)
Rost	<i>Puccinia chrysosplenii</i>	Chrysosplenium oppositifolium
Rost	<i>Puccinia mulgedii</i>	Cicerbita alpina
Rost	<i>Puccinia cichorii</i>	Cichorium intybus
EM	<i>Golovinomyces bolayi</i>	Cichorium intybus (Wegwarte)
Rost	<i>Puccinia circaeae</i>	Circaea alpina
Rost	<i>Pucciniastrum circaeae</i>	Circaea alpina
Rost	<i>Puccinia circaeae</i>	Circaea intermedia
Rost	<i>Pucciniastrum circaeae</i>	Circaea intermedia
Rost	<i>Puccinia circaeae</i>	Circaea lutetiana
Rost	<i>Puccinia circaeae-caricis</i>	Circaea lutetiana
Rost	<i>Pucciniastrum circaeae</i>	Circaea lutetiana
EM	<i>Erysiphe circaeae</i>	Circaea lutetiana (Gewöhnliches Hexenkraut)
Rost	<i>Puccinia laschii</i>	Cirsium acaule
Rost	<i>Puccinia punctiformis</i> (Cirsium arvense
FM	<i>Bremia cirsii</i>	Cirsium arvense (Acker-Kratzdistel)
EM	<i>Golovinomyces montagnei</i>	Cirsium arvense (Acker-Kratzdistel)
Rost	<i>Puccinia laschii</i>	Cirsium carniolicum
Rost	<i>Puccinia laschii</i>	Cirsium erisithales
Rost	<i>Puccinia cnici-oleracei</i>	Cirsium heterophyllum

Rost	<i>Puccinia laschii</i>	Cirsium heterophyllum
EM	<i>Golovinomyces montagnei</i>	Cirsium heterophyllum (Verschiedenblättrige Kratzdistel)
Rost	<i>Puccinia cnici-oleracei</i>	Cirsium oleraceum
Rost	<i>Puccinia dioicae</i>	Cirsium oleraceum
Rost	<i>Puccinia laschii</i>	Cirsium oleraceum
EM	<i>Golovinomyces montagnei</i>	Cirsium oleraceum (Kohl-Kratzdistel)
FM	<i>Bremia lactucae s.l.</i>	Cirsium oleraceum (Kohl-Kratzdistel)
Rost	<i>Puccinia laschii</i>	Cirsium palustre
Rost	<i>Puccinia lemonnieriana</i>	Cirsium palustre
EM	<i>Golovinomyces montagnei</i>	Cirsium palustre (Sumpf-Kratzdistel)
Rost	<i>Puccinia dioicae</i>	Cirsium rivulare
Rost	<i>Puccinia laschii</i>	Cirsium spinosissimum
Rost	<i>Puccinia cnici</i>	Cirsium vulgare
EM	<i>Golovinomyces montagnei</i>	Cirsium vulgare (Gewöhnliche Kratzdistel)
Rost	<i>Puccinia laschii</i>	Cirsium waldsteinii
Rost	<i>Pucciniastrum epilobii</i>	Clarkia purpurea
Hyper	<i>Fusarium heterosporum</i>	Claviceps (Mutterkorn)
Rost	<i>Puccinia atragenicola</i>	Clematis alpina
Rost	<i>Puccinia alnetorum</i>	Clematis vitalba
EM	<i>Erysiphe cruciferarum</i>	Cleome houtteana, cult. (Spinnenblume)
Rost	<i>Puccinia menthae</i>	Clinopodium vulgare
Brand	<i>Urocystis colchici</i>	Colchicum autumnale (Herbstzeitlose)
Rost	<i>Uromyces caraganae</i>	Colutea arborescens
Rost	<i>Puccinia conii</i>	Conium maculatum
Rost	<i>Puccinia sessilis</i>	Convallaria majalis
Brand	<i>Thecaphora seminis-convolvuli</i>	Convolvulus arvensis (Acker-Winde)
EM	<i>Erysiphe convolvuli var. convolvuli</i>	Convolvulus arvensis (Acker-Winde)
FM	<i>Basidiophora entospora</i>	Conyza canadensis (Kanadisches Berufkraut)
EM	<i>Erysiphe tortilis</i>	Cornus alba (Weißer Hartriegel)
EM	<i>Phyllactinia corni</i>	Cornus mas (Kornelkirsche)
EM	<i>Erysiphe tortilis</i>	Cornus sanguinea (Blutroter Hartriegel)
Rost	<i>Uromyces coronillae</i>	Coronilla parviflora
Rost	<i>Melampsora magnusiana</i>	Corydalis cava
Brand	<i>Entyloma corydalis</i>	Corydalis cava (Hohler Lerchensporn)
FM	<i>Peronospora bulbocapni</i>	Corydalis cava (Hohler Lerchensporn)
Rost	<i>Melampsora magnusiana</i>	Corydalis intermedia
FM	<i>Peronospora corydalis-intermediae</i>	Corydalis intermedia (Mittlerer Lerchensporn)
EM	<i>Phyllactinia guttata s.str.</i>	Corylus avellana (Haselnuss)
Brand	<i>Entyloma cosmi</i>	Cosmos bipinnatus (Schmuckkörbchen)
Rost	<i>Gymnosporangium fusisporum</i>	Cotoneaster integerrimus
EM	<i>Phyllactinia mali</i>	Crataegomespilus dardarii (Weißdornmispel)
Rost	<i>Gymnosporangium clavariiforme</i>	Crataegus laevigata
Rost	<i>Gymnosporangium clavariiforme</i>	Crataegus monogyna

EM	<i>Phyllactinia mali</i>	Crataegus monogyna (Eingriffeliger Weißdorn)
EM	<i>Podosphaera clandestina</i>	Crataegus monogyna (Eingriffeliger Weißdorn)
Taph	<i>Taphrina crataegi</i>	Crataegus monogyna (Eingriffeliger Weißdorn)
Rost	<i>Puccinia crepidis-blattarioidis</i>	Crepis alpestris
Rost	<i>Puccinia crepidis-aureae</i>	Crepis aurea
Rost	<i>Puccinia praecox</i>	Crepis biennis
Rost	<i>Puccinia scaliana</i>	Crepis bursifolia
Rost	<i>Puccinia crepidis</i>	Crepis capillaris
Rost	<i>Puccinia crepidis-grandiflorae</i>	Crepis conyzifolia
Rost	<i>Puccinia krupae</i>	Crepis jacquinii subsp. kernerii
Rost	<i>Puccinia crepidis-leontodontoidis</i>	Crepis leontodontoides
Rost	<i>Puccinia cruchetii</i>	Crepis mollis
Taph	<i>Volkartia rhaetica</i>	Crepis mollis (Weicher Pippau)
Rost	<i>Puccinia major</i>	Crepis paludosa
EM	<i>Podosphaera erigerontis-canadensis</i>	Crepis paludosa (Sumpf-Pippau)
Rost	<i>Puccinia crepidis-montanae</i>	Crepis pontana
Rost	<i>Puccinia crepidis s.l.</i>	Crepis pusilla
Rost	<i>Puccinia crepidis-blattarioidis</i>	Crepis pyrenaica
FM	<i>Bremia lactucae s.l.</i>	Crepis pyrenaica (Schabenkraut-Pippau)
Rost	<i>Puccinia crepidis s.l.</i>	Crepis sancta
Rost	<i>Puccinia crepidis-blattarioidis</i>	Crepis setosa
Rost	<i>Puccinia crepidis</i>	Crepis tectorum
Rost	<i>Puccinia crepidicola</i>	Crepis vesicaria
Rost	<i>Uromyces croci</i>	Crocus albiflorus
Rost	<i>Puccinia galii-vernii</i>	Cruciata glabra
Rost	<i>Puccinia galii-cruciatae</i>	Cruciata laevipes
Rost	<i>Puccinia galii-vernii</i>	Cruciata laevipes
Rost	<i>Microbotryum lychnidis-dioicae</i>	Cucubalus baccifer
EM	<i>Golovinomyces orontii-Gruppe</i>	Cucurbita pepo (Gartenkürbis)
EM	<i>Golovinomyces orontii-Gruppe</i>	Cymbalaria muralis (Zymbelkraut)
Rost	<i>Puccinia cynodontis</i>	Cynodon dactylon
Brand	<i>Ustilago cynodontis</i>	Cynodon dactylon (Hundszahngras)
Rost	<i>Hyalopsora polypodii</i>	Cystopteris fragilis
EM	<i>Erysiphe trifoliorum</i>	Cytisus purpureus, cult. (Purpur-Ginster)
Rost	<i>Uromyces sarothamni</i>	Cytisus scoparius
Rost	<i>Puccinia striiformioides</i>	Dactylis glomerata
Rost	<i>Uromyces dactylidis s.str.</i>	Dactylis glomerata
Rost	<i>Puccinia graminis</i>	Dactylis glomerata
Brand	<i>Ustilago striiformis s.l.</i>	Dactylis glomerata (Gewöhnliches Knäuelgras)
EM	<i>Blumeria graminis-Gruppe</i>	Dactylis glomerata (Gewöhnliches Knäuelgras)
Rost	<i>Puccinia graminis</i>	Dactylis polygama
Brand	<i>Ustilago striiformis s.l.</i>	Dactylis polygama (Wald-Knäuelgras)
Brand	<i>Entyloma dahliae</i>	Dahlia atropurpurea (Dahlie)
Brand	<i>Entyloma dahliae</i>	Dahlia coccinea (Dahlie)
Brand	<i>Entyloma dahliae</i>	Dahlia pinnata (Dahlie)

Brand	<i>Entyloma dahliae</i>	Dahlia x hortensis (Dahlie)
Rost	<i>Uromyces lineolatus</i>	Daucus carota
EM	<i>Erysiphe aquilegiae</i> var. <i>ranunculi</i>	Delphinium belladonna, cult. (Rittersporn)
Rost	<i>Puccinia dentariae</i>	Dentaria bulbifera
Rost	<i>Puccinia coronata</i>	Deschampsia caespitosa
Rost	<i>Puccinia deschampsiae</i>	Deschampsia cespitosa
Rost	<i>Puccinia graminis</i>	Deschampsia cespitosa
FM	<i>Hyaloperonospora sisymbrii-sophiae</i>	Descurainia sophia (Sophienrauke)
EM	<i>Erysiphe cruciferarum</i>	Descurainia sophia (Sophienrauke)
EM	<i>Erysiphe deutziae</i>	Deutzia scabra, cult. (Rau Deutzie)
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus arenarius
Rost	<i>Puccinia arenariae</i>	Dianthus barbatus
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus carthusianorum
Rost	<i>Puccinia arenariae</i>	Dianthus chinensis
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus deltoides
Brand	<i>Thecaphora saponariae</i>	Dianthus deltoides (Heide-Nelke)
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus hyssopifolius
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus seguieri
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus superbus ssp. alpestris
Rost	<i>Microbotryum dianthorum s.l.</i>	Dianthus sylvestris
FM	<i>Peronospora digitalidis</i>	Digitalis purpurea (Roter Fingerhut)
FM	<i>Peronospora dipsaci</i>	Dipsacus fullonum (Wilde Karde)
FM	<i>Peronospora violacea</i>	Dipsacus pilosus (Behaarte Karde)
Rost	<i>Coleosporium inulae</i>	Dittrichia viscosa
Rost	<i>Coleosporium daronici</i>	Doronicum austriacum
EM	<i>Podosphaera fusca s.str.</i>	Doronicum austriacum (Österreichische Gemswurz)
Rost	<i>Coleosporium daronici</i>	Doronicum cataractarum
Rost	<i>Puccinia arnicae-scorpoidis</i>	Doronicum grandiflorum
Rost	<i>Puccinia daronicella</i>	Doronicum orientale
EM	<i>Podosphaera fusca s.str.</i>	Doronicum pardalianches (Herzblättrige Gemswurz)
Rost	<i>Uromyces scillarum</i>	Drimia maritima
EM	<i>Podosphaera volkartii</i>	Dryas octopetala (Silberwurz)
Rost	<i>Milesina kriegeriana</i>	Dryopteris dilatata
Rost	<i>Milesina kriegeriana</i>	Dryopteris filix-mas
Brand	<i>Moesziomyces bullatus</i>	Echinochloa crus-galli (Gewöhnliche Hühnerhirse)
Brand	<i>Ustilago trichophora</i>	Echinochloa crus-galli (Gewöhnliche Hühnerhirse)
Rost	<i>Puccinia echinopsis</i>	Echinops exaltatus
EM	<i>Golovinomyces echinopsis</i>	Echinops ritro (Kugeldistel)
Rost	<i>Puccinia echinopsis</i>	Echinops sphaerocephalus
Rost	<i>Puccinia pulvinata</i>	Echinops spinosissimus
FM	<i>Peronospora echii</i>	Echium vulgare (Natternkopf)
EM	<i>Golovinomyces asperifolii</i>	Echium vulgare (Natternkopf)
Rost	<i>Puccinia graminis</i>	Elymus caninus
Rost	<i>Puccinia striiformis</i>	Elymus caninus
Rost	<i>Puccinia graminis</i>	Elymus intermedius

Rost	<i>Puccinia coronata</i>	Elymus repens
Rost	<i>Puccinia graminis</i>	Elymus repens
Brand	<i>Tranzscheliella hypodytes</i>	Elymus repens (Kriech-Quecke)
Brand	<i>Urocystis agropyri</i>	Elymus repens (Kriech-Quecke)
Brand	<i>Ustilago serpens</i>	Elymus repens (Kriech-Quecke)
Brand	<i>Ustilentyloma brefeldii</i>	Elymus repens (Kriech-Quecke)
EM	<i>Blumeria graminis-Gruppe</i>	Elymus repens (Kriech-Quecke)
Brand	<i>Schizonella elyinae</i>	Elyna myosurodies (Nacktried)
Rost	<i>Puccinia lagenophorae</i>	Emilia coccinea
Hyper	<i>Clonostachys epichloë</i>	Epichloë (Gras-Schaftpilze)
Rost	<i>Puccinia pulverulenta</i>	Epilobium alpestre
Rost	<i>Pucciniastrum epilobii</i>	Epilobium alpestre
EM	<i>Podosphaera epilobii</i>	Epilobium alpestre (Alpen-Weidenröschen)
Rost	<i>Pucciniastrum epilobii</i>	Epilobium angustifolium
Rost	<i>Pucciniastrum epilobii</i>	Epilobium brachycarpum
Rost	<i>Pucciniastrum epilobii</i>	Epilobium ciliatum
Rost	<i>Puccinia epilobii-fleischeri</i>	Epilobium fleischeri
Rost	<i>Puccinia pulverulenta</i>	Epilobium hirsutum
Rost	<i>Pucciniastrum epilobii</i>	Epilobium hirsutum
EM	<i>Podosphaera epilobii</i>	Epilobium hirsutum (Zottiges Weidenröschen)
Rost	<i>Puccinia pulverulenta</i>	Epilobium montanum
Rost	<i>Pucciniastrum epilobii</i>	Epilobium montanum
EM	<i>Podosphaera epilobii</i>	Epilobium montanum (Berg-Weidenröschen)
Rost	<i>Puccinia epilobii</i>	Epilobium palustre
Rost	<i>Pucciniastrum epilobii</i>	Epilobium palustre
EM	<i>Podosphaera epilobii</i>	Epilobium palustre (Sumpf-Weidenröschen)
FM	<i>Plasmopara epilobii</i>	Epilobium parviflorum (Kleinblütiges Weidenröschen)
Rost	<i>Pucciniastrum epilobii</i>	Epilobium roseum
Rost	<i>Puccinia pulverulenta</i>	Epilobium tetragonum
Rost	<i>Leucotelium cerasi</i>	Eranthis hyemalis
Brand	<i>Urocystis eranthidis</i>	Eranthis hyemalis (Winterling)
EM	<i>Podosphaera erigerontis-canadensis</i>	Erigeron annuus (Einjähriges Berufkraut)
EM	<i>Podosphaera erigerontis-canadensis</i>	Erigeron canadensis (Kanadisches Berufkraut)
FM	<i>Peronospora erodii</i>	Erodium cicutarium (Reiherschnabel)
EM	<i>Podosphaera erodii</i>	Erodium cicutarium (Schierlings-Reiherschnabel)
FM	<i>Hyaloperonospora erophilae</i>	Erophila verna agg. (Frühlings-Hungerblümchen)
Brand	<i>Entyloma eryngii</i>	Eryngium campestre (Feld-Mannstreu)
Rost	<i>Puccinia eryngii</i>	Eryngium sp.
FM	<i>Albugo candidas.l.</i>	Erysimum cheiranthoides (Acker-Schöterich)
FM	<i>Hyaloperonospora cheiranthi</i>	Erysimum cheiranthoides (Acker-Schöterich)
Hyper	<i>Ampelomyces quisqualis</i>	Erysiphales (Echte Mehltaupilze)
Rost	<i>Uromyces erythronii</i>	Erythronium dens-canis
Brand	<i>Entyloma eschscholziae</i>	Eschscholzia californica, cult. – Schlafmützchen
EM	<i>Erysiphe euonymi</i>	Euonymus europaea (Europäisches Pfaffenhütchen)
Rost	<i>Melampsora euonymi-caprearum</i>	Euonymus europaeus

EM	<i>Erysiphe euonymicola</i>	Euonymus fortunei, cult. (Kriechspindel)
Rost	<i>Endophyllum euphorbiae-sylvaticae</i>	Euphorbia amygdaloides
FM	<i>Peronospora cyparissiae</i>	Euphorbia amygdaloides (Mandelblättrige Wolfsmilch)
Rost	<i>Aecidium euphorbiae</i>	Euphorbia bivonae
Rost	<i>Melampsora euphorbiae</i>	Euphorbia bivonae
Rost	<i>Aecidium euphorbiae</i>	Euphorbia characias
Rost	<i>Melampsora euphorbiae</i>	Euphorbia cyparissias
Rost	<i>Uromyces alpestris</i>	Euphorbia cyparissias
Rost	<i>Uromyces kalmusii</i>	Euphorbia cyparissias
Rost	<i>Uromyces scutellatus</i>	Euphorbia cyparissias
Rost	<i>Uromyces striolatus</i>	Euphorbia cyparissias
Rost	<i>Aecidium euphorbiae</i>	Euphorbia cyparissias
FM	<i>Peronospora cyparissiae</i>	Euphorbia cyparissias (Zypressen-Wolfsmilch)
EM	<i>Podosphaera euphorbiae</i>	Euphorbia cyparissias (Zypressen-Wolfsmilch)
Rost	<i>Melampsora gelmii</i>	Euphorbia dendroides
Rost	<i>Aecidium euphorbiae</i>	Euphorbia dulcis
Rost	<i>Melampsora euphorbiae-dulcis</i>	Euphorbia dulcis
Rost	<i>Melampsora euphorbiae</i>	Euphorbia esula
Rost	<i>Aecidium euphorbiae</i>	Euphorbia esula
Rost	<i>Aecidium euphorbiae</i>	Euphorbia exigua
Rost	<i>Melampsora euphorbiae</i>	Euphorbia exigua
Rost	<i>Melampsora euphorbiae-gerardiana</i>	Euphorbia falcata
Rost	<i>Uromyces winteri</i>	Euphorbia falcata
Rost	<i>Melampsora helioscopiae</i>	Euphorbia helioscopia
EM	<i>Podosphaera euphorbiae</i>	Euphorbia helioscopia (Sonnenwend-Wolfsmilch)
Rost	<i>Melampsora euphorbiae-dulcis</i>	Euphorbia lathyris
Rost	<i>Aecidium euphorbiae</i>	Euphorbia myrsinites
Rost	<i>Aecidium euphorbiae</i>	Euphorbia nicaeensis
Rost	<i>Melampsora euphorbiae</i>	Euphorbia peplus
Rost	<i>Aecidium euphorbiae</i>	Euphorbia peplus
EM	<i>Podosphaera euphorbiae</i>	Euphorbia peplus (Garten-Wolfsmilch)
EM	<i>Podosphaera euphorbiae</i>	Euphorbia platyphyllos (Breitblättrige Wolfsmilch)
Rost	<i>Melampsora euphorbiae</i>	Euphorbia pterococca
Rost	<i>Uromyces dianthi</i>	Euphorbia seguieriana
Rost	<i>Uromyces laevis</i>	Euphorbia seguieriana
Rost	<i>Uromyces proëminens</i>	Euphorbia serpens
Rost	<i>Melampsora euphorbiae</i>	Euphorbia serrata
Rost	<i>Uromyces monspessulanus</i>	Euphorbia serrata
Rost	<i>Melampsora euphorbiae-dulcis</i>	Euphorbia stricta
Rost	<i>Melampsora euphorbiae</i>	Euphorbia sulcata
Rost	<i>Melampsora euphorbiae-gerardiana</i>	Euphorbia taurinensis
Rost	<i>Aecidium euphorbiae</i>	Euphorbia verrucosa
Rost	<i>Melampsora euphorbiae</i>	Euphorbia verrucosa
Rost	<i>Uromyces excavatus</i>	Euphorbia verrucosa
Rost	<i>Coleosporium euphrasiae</i>	Euphrasia rostkoviana

Rost	<i>Coleosporium euphrasiae</i>	Euphrasia stricta
Rost	<i>Cronartium flaccidum</i>	Euphrasia stricta
EM	<i>Golovinomyces asterum</i>	Eurybia radula, cult. (Zwerg-Sommeraster)
Hyper	<i>Cladosporium exobasidii</i> var. <i>exobasidii</i>	Exobasidium (Nacktbasidien)
EM	<i>Erysiphe alphitoides</i>	Fagus sylvatica (Rot-Buche)
EM	<i>Phyllactinia orbicularis</i>	Fagus sylvatica (Rot-Buche)
Rost	<i>Puccinia sii-falcariae</i>	Falcaria vulgaris
Rost	<i>Microbotryum anomalum</i>	Fallopia baldschuanica
Rost	<i>Microbotryum anomalum</i>	Fallopia convolvulus
Rost	<i>Puccinia polygoni</i>	Fallopia convolvulus
FM	<i>Peronospora polygoni-convolvuli</i>	Fallopia convolvulus (Acker-Windenknöterich)
Rost	<i>Microbotryum anomalum</i>	Fallopia dumetorum
Rost	<i>Puccinia polygoni</i>	Fallopia dumetorum
Rost	<i>Puccinia gladioli</i>	Feddia sp.
Rost	<i>Uromyces ferulae</i>	Ferula communis
Rost	<i>Puccinia gibberosa</i>	Festuca altissima
Rost	<i>Puccinia graminis</i>	Festuca arundinacea
Brand	<i>Urocystis ulei</i>	Festuca arundinacea (Rohrglanz-Schwengel)
Rost	<i>Puccinia coronata</i>	Festuca gigantea
Rost	<i>Puccinia coronata</i>	Festuca ovina agg.
Rost	<i>Puccinia festucae</i>	Festuca ovina agg.
Rost	<i>Puccinia coronata</i>	Festuca pratensis
Brand	<i>Urocystis ulei</i>	Festuca rubra agg. (Rot-Schwengel)
Rost	<i>Uromyces ficariae</i>	Ficaria verna
Rost	<i>Uromyces poae</i>	Ficaria verna
Rost	<i>Uromyces rumicis</i>	Ficaria verna
Brand	<i>Entyloma ficariae</i>	Ficaria verna (Scharbockskraut)
Brand	<i>Urocystis ficariae</i>	Ficaria verna [Syn: Ranunculus ficaria] (Scharbockskraut)
Rost	<i>Triphragmium ulmariae</i>	Filipendula ulmaria
EM	<i>Podosphaera filipendulae</i>	Filipendula ulmaria (Echtes Mädesüß)
EM	<i>Podosphaera aphanis</i>	Fragaria x ananassa (Garten-Erdbeere)
Rost	<i>Puccinia coronata</i>	Frangula alnus
EM	<i>Phyllactinia fraxini</i>	Fraxinus excelsior (Gewöhnliche Esche)
Rost	<i>Pucciniastrum fuchsiae</i>	Fuchsia-Hybride
FM	<i>Peronospora affinis</i>	Fumaria officinalis (Gewöhnlicher Erdrauch)
Brand	<i>Entyloma fumariae</i>	Fumaria spec. (Erdrauch)
FM	<i>Peronospora affinis</i>	Fumaria vaillantii subsp. vaillantii (Blasser Erdrauch)
Rost	<i>Uromyces acutatus</i>	Gagea bohemica ssp. saxatilis
Rost	<i>Puccinia megatherium</i>	Gagea graeca
Rost	<i>Uromyces gageae</i>	Gagea lutea
Brand	<i>Vankya ornithogali</i>	Gagea lutea (Gewöhnlicher Gelbsterne)
Rost	<i>Puccinia megatherium</i>	Gagea peduncularis
Rost	<i>Uromyces acutatus</i>	Gagea peduncularis
Rost	<i>Uromyces gageae</i>	Gagea pratensis
Brand	<i>Vankya ornithogali</i>	Gagea pratensis (Wiesen-Gelbsterne)

Brand	<i>Vankya ornithogali</i>	Gagea spathacea (Scheiden-Gelbstern)
Rost	<i>Uromyces acutatus</i>	Gagea villosa
Brand	<i>Vankya ornithogali</i>	Gagea villosa (Acker-Gelbstern)
Brand	<i>Entyloma gaillardianum</i>	Gaillardia aristata cult. (Kokadenblume)
Rost	<i>Melampsora galanthi-fragilis</i>	Galanthus elwesii
Rost	<i>Melampsora galanthi-fragilis</i>	Galanthus nivalis
Rost	<i>Puccinia galanthi</i>	Galanthus nivalis
Rost	<i>Puccinia sessilis</i>	Galanthus nivalis
Rost	<i>Puccinia galatellae</i>	Galatella cretica
EM	<i>Neoverysipe galeopsidis</i>	Galeopsis tetrahit (Stechender Holzzahn)
Taph	<i>Protomyces buerenianus</i>	Galinsoga parviflora (Kleinblütiges Knopfkraut)
Rost	<i>Puccinia galii-vernii</i>	Galium album
Rost	<i>Puccinia punctata</i>	Galium album
Rost	<i>Thekopsora guttata</i>	Galium album
Brand	<i>Melanotaenium endogenum</i>	Galium album (Wiesen-Labkraut)
Rost	<i>Puccinia lagerheimii</i>	Galium anisophyllum
Rost	<i>Puccinia punctata</i>	Galium anisophyllum
Rost	<i>Puccinia difformis</i>	Galium aparine
FM	<i>Peronospora aparines</i>	Galium aparine (Kletten-Labkraut)
EM	<i>Neoverysipe galii</i>	Galium aparine (Kletten-Labkraut)
FM	<i>Peronospora galii</i>	Galium boreale (Nordisches Labkraut)
Rost	<i>Puccinia punctata</i>	Galium corrudifolium
Rost	<i>Puccinia coetanea</i>	Galium glaucum
FM	<i>Peronospora galii</i>	Galium mollugo agg. (Wiesen-Labkraut)
Rost	<i>Puccinia asperulae-odoratae</i>	Galium odoratum
Rost	<i>Thekopsora guttata</i>	Galium odoratum
FM	<i>Peronospora calotheca</i>	Galium odoratum (Waldmeister)
EM	<i>Neoverysipe galii</i>	Galium odoratum (Waldmeister)
Rost	<i>Puccinia punctata</i>	Galium palustre
Rost	<i>Puccinia punctata</i>	Galium pumilum
Rost	<i>Thekopsora guttata</i>	Galium rotundifolium
Rost	<i>Puccinia punctata</i>	Galium saxatile
Rost	<i>Thekopsora guttata</i>	Galium saxatile
Rost	<i>Puccinia punctata</i>	Galium schultesii
Rost	<i>Thekopsora guttata</i>	Galium schultesii
Rost	<i>Puccinia punctata</i>	Galium sylvaticum
Rost	<i>Thekopsora guttata</i>	Galium uliginosum
Rost	<i>Puccinia galii-vernii</i>	Galium verum
Rost	<i>Puccinia punctata</i>	Galium verum
Rost	<i>Thekopsora guttata</i>	Galium verum
Rost	<i>Puccinia punctata</i>	Galium wirtgenii
Rost	<i>Uromyces genistae</i>	Genista radiata
Rost	<i>Uromyces genistae</i>	Genista sagittalis
Rost	<i>Uromyces genistae</i>	Genista tinctoria
Rost	<i>Puccinia gentianae</i>	Gentiana acaulis
Rost	<i>Uromyces geranii s.str.</i>	Geranium cinereum
Rost	<i>Uromyces geranii s.str.</i>	Geranium columbinum

EM	<i>Podosphaera fugax</i>	Geranium columbinum (Tauben-Storchschnabel)
FM	<i>Peronospora conglomerata</i>	Geranium dissectum (Schlitzblättriger Storchschnabel)
FM	<i>Peronospora conglomerata</i>	Geranium molle (Weicher Storchschnabel)
FM	<i>Plasmopara pusilla</i>	Geranium molle (Weicher Storchschnabel)
EM	<i>Podosphaera fugax</i>	Geranium molle (Weicher Storchschnabel)
Rost	<i>Uromyces geranii s.str.</i>	Geranium nodosum
Rost	<i>Uromyces geranii s.str.</i>	Geranium palustre
Rost	<i>Uromyces geranii s.str.</i>	Geranium phaeum
EM	<i>Podosphaera fugax</i>	Geranium phaeum (Brauner Storchschnabel)
Rost	<i>Uromyces geranii s.str.</i>	Geranium pratense
FM	<i>Plasmopara pusilla</i>	Geranium pratense (Wiesen-Storchschnabel)
EM	<i>Podosphaera fugax</i>	Geranium pratense (Wiesen-Storchschnabel)
Rost	<i>Uromyces geranii s.str.</i>	Geranium pusillum
FM	<i>Peronospora conglomerata</i>	Geranium pusillum (Kleiner Storchschnabel)
Rost	<i>Uromyces kabatianus</i>	Geranium pyrenaicum
FM	<i>Peronospora conglomerata</i>	Geranium robertianum (Ruprechts-Storchschnabel)
Rost	<i>Puccinia polygoni</i>	Geranium rotundifolium
Rost	<i>Uromyces geranii s.str.</i>	Geranium rotundifolium
EM	<i>Podosphaera fugax</i>	Geranium sanguineum (Blutroter Storchschnabel)
Rost	<i>Puccinia geranii-sylvatici</i>	Geranium sylvaticum
Rost	<i>Puccinia morthieri</i>	Geranium sylvaticum
Rost	<i>Uromyces geranii s.str.</i>	Geranium sylvaticum
FM	<i>Plasmopara geranii-sylvatici</i>	Geranium sylvaticum (Wald-Storchschnabel)
FM	<i>Plasmopara praetermissa</i>	Geranium sylvaticum (Wald-Storchschnabel)
EM	<i>Podosphaera aphanis</i>	Geum coccineum (Orangerote Nelkenwurz)
EM	<i>Podosphaera aphanis</i>	Geum rivale (Bach-Nelkenwurz)
FM	<i>Peronospora gei</i>	Geum urbanum (Echte Nelkenwurz)
EM	<i>Podosphaera aphanis</i>	Geum urbanum (Echte Nelkenwurz)
EM	<i>Podosphaera aphanis</i>	Geum x intermedium (Bastard-Nelkenwurz)
Rost	<i>Puccinia gladioli</i>	Gladiolus italicus
Rost	<i>Uromyces lineolatus</i>	Glaux maritima
Rost	<i>Puccinia anthemidis</i>	Glebionis segetum
Rost	<i>Puccinia glechomatis</i>	Glechoma hederacea
Rost	<i>Puccinia globulariae</i>	Globularia nudicaulis
Brand	<i>Ustilago filiformis</i>	Glyceria fluitans (Flutender Schwaden)
Rost	<i>Puccinia coronata</i>	Glyceria maxima
Brand	<i>Ustilago filiformis</i>	Glyceria maxima (Riesen-Schwaden)
Rost	<i>Hyalopsora aspidiotus</i>	Gymnocarpium dryopteris
Rost	<i>Puccinia gynandriridis</i>	Gynandriris sisyrinchium
Rost	<i>Microbotryum violaceum s.str.</i>	Gypsophila repens
Rost	<i>Uromyces hedysari-obscuri</i>	Hedysarum hedysaroides
Rost	<i>Puccinia helianthi</i>	Helianthus annuus
FM	<i>Plasmopara halstedii</i>	Helianthus annuus (Sonnenblume)
EM	<i>Golovinomyces latisporus</i>	Helianthus annuus, cult. (Sonnenblume)
EM	<i>Golovinomyces latisporus</i>	Helianthus decapetalus, cult. (Staudensonnenblume)
EM	<i>Golovinomyces latisporus</i>	Helianthus tuberosus, cult. (Topinambur)
Brand	<i>Entyloma magnusii</i>	Helichrysum arenarium (Sand-Strohblume)

Rost	<i>Uromyces helichrysi</i>	Helichrysum stoechas
Brand	<i>Urocystis rytzii</i>	Helictotrichon versicolor (Bunter Wiesenhafer)
Rost	<i>Microbotryum heliospermae</i>	Heliosperma pusillum
FM	<i>Peronospora pulveracea</i>	Helleborus foetidus (Stinkende Nieswurz)
Brand	<i>Urocystis floccosa</i>	Helleborus viridis subsp. occidentalis (Westliche Grüne Nieswurz)
Brand	<i>Urocystis syncocca</i>	Hepatica nobilis (Dreilappiges Leberblümchen)
Taph	<i>Protomyces macrosporus</i>	Heracleum austriacum (Österreichischer Bärenklau)
EM	<i>Erysiphe heraclei</i>	Heracleum mantegazzianum (Riesen-Bärenklau)
EM	<i>Erysiphe heraclei</i>	Heracleum sphondylium (Wiesen-Bärenklau)
FM	<i>Hyaloperonospora hesperidis</i>	Hesperis matronalis (Nachtviole)
EM	<i>Podosphaera macrospora</i>	Heuchera villosa, cult. (Purpurglöckchen)
Rost	<i>Puccinia hieracii</i>	Hieracium amplexicaule
FM	<i>Bremia lactucae s.l.</i>	Hieracium aurantiacum (Orangerotes Habichtskraut)
Rost	<i>Puccinia hieracii</i>	Hieracium bupleuroides
Rost	<i>Puccinia hieracii</i>	Hieracium lachenalii
Brand	<i>Entyloma hieracii</i>	Hieracium lachenalii (Gewöhnliches Habichtskraut)
EM	<i>Golovinomyces hieraciorum</i>	Hieracium maculatum (Geflecktes Habichtskraut)
Rost	<i>Puccinia hieracii</i>	Hieracium murorum
Brand	<i>Entyloma hieracii</i>	Hieracium murorum agg. (Wald-Habichtskraut)
Rost	<i>Puccinia hieracii</i>	Hieracium sabaudum
Rost	<i>Uromyces gaeumannii</i>	Hippocrepis biflora
Rost	<i>Uromyces gaeumannii</i>	Hippocrepis ciliata
Rost	<i>Uromyces coronillae</i>	Hippocrepis emerus
Rost	<i>Uromyces gaeumannii</i>	Hippocrepis unisiliquosa
Rost	<i>Puccinia coronata</i>	Holcus lanatus
Rost	<i>Puccinia holcina</i>	Holcus lanatus
Brand	<i>Ustilago striiformis s.l.</i>	Holcus lanatus (Wolliges Honiggras)
Rost	<i>Puccinia graminis</i>	Holcus mollis
Brand	<i>Ustilago striiformis s.l.</i>	Holcus mollis (Weiches Honiggras)
Rost	<i>Microbotryum holostei</i>	Holosteum umbellatum
Rost	<i>Puccinia conglomerata</i>	Homogyne alpina
Rost	<i>Puccinia conglomerata</i>	Homogyne discolor
FM	<i>Peronospora honckenya</i>	Honckenya peploides (Salzmiere)
Rost	<i>Puccinia graminis</i>	Hordelymus europaeus
Rost	<i>Puccinia graminis</i>	Hordeum jubatum
Rost	<i>Puccinia hordei-murini</i>	Hordeum murinum
Rost	<i>Puccinia graminis</i>	Hordeum vulgare
Brand	<i>Ustilago nuda</i>	Hordeum vulgare (Gerste)
FM	<i>Pseudoperonospora humuli</i>	Humulus lupulus (Hopfen)
EM	<i>Podosphaera macularis</i>	Humulus lupulus (Hopfen)
Rost	<i>Uromyces hyacinthi</i>	Hyacinthoides massartiana
Rost	<i>Uromyces hymenocarp</i>	Hymenocarpus circinnatus
Rost	<i>Puccinia hyoseridis-radiatae</i>	Hyoseris radiata
Rost	<i>Puccinia hyoseridis-sabrae</i>	Hyoseris scabra
Rost	<i>Puccinia andropogonis-hirti</i>	Hyparrhenia hirta
Brand	<i>Sporisorium transfissum</i>	Hyparrhenia hirta

Rost	<i>Melampsora sp.</i>	Hypericum androsaemum
Rost	<i>Melampsora sp.</i>	Hypericum calycinum
EM	<i>Erysiphe hyperici</i>	Hypericum maculatum (Geflecktes Hartheu)
Rost	<i>Melampsora hypericorum</i>	Hypericum montanum
EM	<i>Erysiphe hyperici</i>	Hypericum perforatum (Gewöhnliches Hartheu)
Rost	<i>Melampsora hypericorum</i>	Hypericum pulchrum
Rost	<i>Melampsora sp.</i>	Hypericum x inodorum
Rost	<i>Puccinia hypochoeridis</i>	Hypochoaeris glabra
Rost	<i>Puccinia montivaga</i>	Hypochoaeris uniflorus
Rost	<i>Puccinia hypochoeridis</i>	Hypochoaeris achyrophorus
Rost	<i>Puccinia hypochoeridis</i>	Hypochoaeris radicata
EM	<i>Golovinomyces cichoracearum-Gruppe</i>	Hypochoaeris radicata (Gewöhnliches Ferkelkraut)
EM	<i>Golovinomyces biocellatus-Gruppe</i>	Hyssopus officinalis (Ysop)
FM	<i>Peronospora iberidis</i>	Iberis sempervirens (Immergrüne Schleifenblume)
Rost	<i>Puccinia impatientis</i>	Impatiens noli-tangere
EM	<i>Podosphaera balsaminae</i>	Impatiens noli-tangere (Rühr-mich-nicht-an)
Rost	<i>Puccinia komarovii</i>	Impatiens parviflora
EM	<i>Golovinomyces inulae</i>	Inula britannica (Ufer-Alant)
Rost	<i>Coleosporium inulae</i>	Inula ensifolia
Rost	<i>Coleosporium inulae</i>	Inula germanica
Rost	<i>Coleosporium inulae</i>	Inula helenium
Rost	<i>Coleosporium inulae</i>	Inula hirta
Rost	<i>Coleosporium inulae</i>	Inula orientalis
Rost	<i>Coleosporium inulae</i>	Inula salicina
Rost	<i>Coleosporium inulae</i>	Inula spec.
Rost	<i>Coleosporium inulae</i>	Inula verbascifolia
Rost	<i>Puccinia iridis</i>	Iris sibirica
Brand	<i>Microstroma juglandis</i>	Juglans regia (Walnuss)
Rost	<i>Uromyces junci</i>	Juncus articulatus
Brand	<i>Entorrhiza aschersoniana</i>	Juncus bufonius (Kröten-Binse)
Rost	<i>Uromyces silphii</i>	Juncus tenuis
Rost	<i>Gymnosporangium sabiniae</i>	Juniperus chinensis
Rost	<i>Gymnosporangium clavariiforme</i>	Juniperus communis
Rost	<i>Gymnosporangium tremelloides</i>	Juniperus communis
Rost	<i>Puccinia fuckelii</i>	Jurinea cyanoides
Rost	<i>Puccinia schirajewskii</i>	Klasea flavescens
Rost	<i>Coleosporium senecionis</i>	Kleinia neriifolia
Rost	<i>Microbotryum scabiosae</i>	Knautia arvensis
EM	<i>Erysiphe knautiae</i>	Knautia arvensis (Acker-Witwenblume)
FM	<i>Peronospora knautiae</i>	Knautia arvensis (Acker-Witwenblume)
FM	<i>Peronospora violacea</i>	Knautia arvensis (Acker-Witwenblume)
Rost	<i>Microbotryum scabiosae</i>	Knautia dipsacifolia
EM	<i>Erysiphe knautiae</i>	Knautia dipsacifolia (Wald-Witwenblume)
FM	<i>Peronospora knautiae</i>	Knautia dipsacifolia subsp. dipsacifolia (Wald-

		Witwenblume
EM	<i>Erysiphe knautiae</i>	Knautia macedonica, cult. (Madzedonische Witwenblume)
Rost	<i>Puccinia longissima</i>	Koeleria macrantha
Rost	<i>Puccinia longissima</i>	Koeleria pyramidata
Rost	<i>Uromyces laburni s.str.</i>	Laburnum anagyroides
Rost	<i>Puccinia lactucarum</i>	Lactuca acanthifolia
Rost	<i>Puccinia opizii</i>	Lactuca quercina
Rost	<i>Puccinia opizii</i>	Lactuca serriola
FM	<i>Bremia lactucae s.l.</i>	Lactuca serriola (Kompasslattich)
EM	<i>Golovinomyces bolayi</i>	Lactuca serriola (Kompasslattich)
Rost	<i>Puccinia minussensis</i>	Lactuca tatarica
Rost	<i>Puccinia opizii</i>	Lactuca virosa
Rost	<i>Puccinia hordei</i>	Lagurus ovatus
EM	<i>Neoerysiphe galeopsidis</i>	Lamium montanum (Berg-Goldnessel)
FM	<i>Peronospora lamii</i>	Lamium album (Weiße Taubnessel)
FM	<i>Peronospora lamii</i>	Lamium amplexicaule (Stängelumfassende Taubnessel)
EM	<i>Neoerysiphe galeopsidis</i>	Lamium amplexicaule (Stängelumfassende Taubnessel)
EM	<i>Neoerysiphe galeopsidis</i>	Lamium maculatum (Gefleckte Taubnessel)
EM	<i>Neoerysiphe galeopsidis</i>	Lamium purpureum (Purpurrote Taubnessel)
FM	<i>Peronospora lamii</i>	Lamium purpureum (Rote Taubnessel)
EM	<i>Neoerysiphe galeopsidis</i>	Lamium purpureum var. incisum (Schlitzblättrige Taubnessel)
FM	<i>Peronospora echinospermi</i>	Lappula squarrosa (Gewöhnlicher Igelsame)
Rost	<i>Puccinia lapsanae</i>	Lapsana communis
Rost	<i>Puccinia opizii</i>	Lapsana communis
Rost	<i>Caecoma laricis</i>	Larix decidua
Rost	<i>Puccinia sileris</i>	Laser trilobum
FM	<i>Plasmopara laserpitii</i>	Laserpitium halleri (Rauhaar-Laserkraut)
Rost	<i>Aecidium laserpitii-sileris</i>	Laserpitium peucedanoides (1)
Rost	<i>Uromyces pisis.str.</i>	Lathyrus laevigatus ssp. occidentalis
Rost	<i>Uromyces pisis.str.</i>	Lathyrus latifolius
Rost	<i>Uromyces viciae-fabae</i>	Lathyrus linifolius
FM	<i>Peronospora orobi</i>	Lathyrus linifolius (Berg-Platterbse)
Rost	<i>Uromyces pisis.str.</i>	Lathyrus pratensis
FM	<i>Peronospora fulva</i>	Lathyrus pratensis (Wiesen-Platterbse)
EM	<i>Erysiphe trifoliorum</i>	Lathyrus pratensis (Wiesen-Platterbse)
Rost	<i>Uromyces pisis.str.</i>	Lathyrus sylvestris
Rost	<i>Uromyces pisis.str.</i>	Lathyrus tuberosus
Rost	<i>Uromyces viciae-fabae</i>	Lathyrus vernus
Rost	<i>Puccinia malvacearum</i>	Lavatera arborea
Rost	<i>Puccinia malvacearum</i>	Lavatera cretica
Rost	<i>Puccinia leontodontis</i>	Leontodon hispidus
Rost	<i>Puccinia leontodontis</i>	Leontodon incanus
EM	<i>Neoerysiphe galeopsidis</i>	Leonurus cardiaca (Echtes Herzgespann)
EM	<i>Neoerysiphe galeopsidis</i>	Leonurus cardiaca subsp. villosus (Zottiges Herzgespann)
EM	<i>Erysiphe cruciferarum</i>	Lepidium ruderales (Schutt-Kresse)

EM	<i>Erysiphe cruciferarum</i>	Lepidium sativum (Garten-Kresse)
Rost	<i>Puccinia aecidii-leucanthemi</i>	Leucanthemum adustum
Rost	<i>Melampsora galanthi-fragilis</i>	Leucojum vernum
Rost	<i>Puccinia galanthi</i>	Leucojum vernum
Rost	<i>Puccinia bornmuelleri</i>	Levisticum officinale
Rost	<i>Nyssopsora echinata</i>	Ligusticum mutellina
Rost	<i>Puccinia mei-mamillata</i>	Ligusticum mutellina
Taph	<i>Protomyces macrosporus</i>	Ligusticum mutellina (Alpen-Mutterwurz)
FM	<i>Plasmopara mei-foeniculi</i>	Ligusticum mutellina (Mutterwurz)
Rost	<i>Puccinia isiacae</i>	Ligustrum vulgare
EM	<i>Erysiphe syringae s.str.</i>	Ligustrum vulgare (Gewöhnlicher Liguster)
EM	<i>Golovinomyces orontii-Gruppe</i>	Limnanthes douglasii (Spiegeleibblume)
Rost	<i>Uromyces limonii</i>	Limonium vulgare
Brand	<i>Entyloma linariae</i>	Linaria vulgaris (Gewöhnliches Leinkraut)
FM	<i>Peronospora flava</i>	Linaria vulgaris (Gewöhnliches Leinkraut)
Rost	<i>Melampsora liniperda</i>	Linum alpinum
Rost	<i>Melampsora liniperda</i>	Linum austriacum
Rost	<i>Melampsora liniperda</i>	Linum bienne
Rost	<i>Melampsora lini</i>	Linum catharticum
Rost	<i>Melampsora liniperda</i>	Linum tenue
EM	<i>Golovinomyces orontii-Gruppe</i>	Linum usitatissimum (Saat-Lein)
FM	<i>Hyaloperonospora lobulariae</i>	Lobularia maritima (Strandkraut)
EM	<i>Blumeria graminis-Gruppe</i>	Lolium multiflorum (Vielblütiger Lolch)
Rost	<i>Puccinia graminis</i>	Lolium perenne
Rost	<i>Puccinia loliicola</i>	Lolium rigidum
Rost	<i>Puccinia festucae</i>	Lonicera alpigena
Rost	<i>Puccinia festucae</i>	Lonicera caerulea
Rost	<i>Puccinia festucae</i>	Lonicera nigra
Rost	<i>Puccinia festucae</i>	Lonicera periclymenum
EM	<i>Erysiphe loniceræ</i>	Lonicera periclymenum (Wald-Geißblatt)
Rost	<i>Pucciniastrum epilobii</i>	Lopezia racemosa
FM	<i>Peronospora lotorum</i>	Lotus alpinus (Alpen-Hornklee)
Rost	<i>Uromyces euphorbiae-corniculatae</i>	Lotus corniculatus
EM	<i>Erysiphe trifoliorum</i>	Lotus corniculatus (Gewöhnlicher Hornklee)
EM	<i>Erysiphe trifoliorum</i>	Lotus pedunculatus (Sumpf-Hornklee)
FM	<i>Albugo candidas.l.</i>	Lunaria annua (Silbertaler)
FM	<i>Hyaloperonospora lunariae</i>	Lunaria annua (Silbertaler)
FM	<i>Hyaloperonospora lunariae</i>	Lunaria rediviva (Ausdauerndes Silberblatt)
EM	<i>Erysiphe cruciferarum</i>	Lunaria rediviva (Mondviole)
Rost	<i>Uromyces lupinicola</i>	Lupinus constentini
EM	<i>Erysiphe trifoliorum</i>	Lupinus polyphyllus, cult. (Vielblättrige Lupine)
Rost	<i>Bauerago vuyckii</i>	Luzula campestris
Rost	<i>Puccinia obscura</i>	Luzula campestris
Rost	<i>Puccinia obscura</i>	Luzula forsteri
Brand	<i>Urocystis luzulae</i>	Luzula glabrata (Kahle Hainsimse)
Rost	<i>Puccinia obscura</i>	Luzula multiflora

Rost	<i>Puccinia obscura</i>	Luzula pilosa
Rost	<i>Puccinia obscura</i>	Luzula sylvatica
Rost	<i>Microbotryum coronariae</i>	Lychnis flos-cuculi
EM	<i>Arthrocladiella mougeotii</i>	Lycium chinense (Chinesischer Bocksborn)
EM	<i>Golovinomyces biocellatus</i>	Lycopus europaeus (Ufer-Wolfstrapp)
EM	<i>Erysiphe lythri</i>	Lythrum salicaria (Blut-Weiderich)
EM	<i>Erysiphe magnifica</i>	Magnolia × thompsoniana, cult. (Magnolie)
EM	<i>Erysiphe magnifica</i>	Magnolia liliiflora, cult. (Dunkle Magnolie)
Rost	<i>Puccinia mirabilissima</i>	Mahonia aquifolium
EM	<i>Erysiphe berberidis</i>	Mahonia aquifolium, cult. (Gewöhnliche Mahonie)
EM	<i>Podosphaera leucotricha</i>	Malus domestica (Kultur-Apfel)
Rost	<i>Puccinia malvacearum</i>	Malva alcea
Rost	<i>Puccinia malvacearum</i>	Malva cretica
Rost	<i>Puccinia malvacearum</i>	Malva moschata
Rost	<i>Puccinia malvacearum</i>	Malva neglecta
Rost	<i>Puccinia malvacearum</i>	Malva parviflora
Rost	<i>Puccinia malvacearum</i>	Malva sylvestris
Rost	<i>Puccinia malvacearum</i>	Malva sylvestris subsp. mauritiana
Rost	<i>Puccinia malvacearum</i>	Malva verticillata
Rost	<i>Phragmidium sanguisorbae</i>	Marcetella moquiniana
EM	<i>Podosphaera erigerontis-canadensis</i>	Matricaria discoidea (Strahlenlose Kamille)
Rost	<i>Puccinia matricariae</i>	Matricaria recutita
FM	<i>Paraperonospora leptosperma</i>	Matricaria recutita (Echte Kamille)
EM	<i>Podosphaera erigerontis-canadensis</i>	Matricaria recutita (Echte Kamille)
FM	<i>Peronospora meconopsidis</i>	Meconopsis cambrica (Scheinmohn)
EM	<i>Erysiphe macleayae</i>	Meconopsis cambrica, cult. (Kambrischer Scheinmohn)
Rost	<i>Uromyces striatus</i>	Medicago arabica
Rost	<i>Uromyces striatus</i>	Medicago falcata
Rost	<i>Uromyces striatus</i>	Medicago lupulina
Rost	<i>Uromyces magnusii</i>	Medicago minima
Rost	<i>Uromyces striatus</i>	Medicago varia
EM	<i>Erysiphe pisi</i>	Medicago x varia (Bastard-Luzerne)
Rost	<i>Coleosporium melampyri</i>	Melampyrum pratense
Rost	<i>Coleosporium melampyri</i>	Melampyrum sylvaticum
Rost	<i>Uromyces graminis</i>	Melica transsilvanica
Brand	<i>Urocystis melicae</i>	Melica uniflora (Einblütiges Perlgras)
FM	<i>Peronospora meliloti</i>	Melilotus albus (Weißer Steinklee)
EM	<i>Erysiphe trifoliorum</i>	Melilotus albus (Weißer Steinklee)
EM	<i>Golovinomyces monardae</i>	Melissa officinalis (Melisse)
Rost	<i>Puccinia menthae</i>	Mentha aquatica
FM	<i>Peronospora stigmaticola</i>	Mentha aquatica (Wasser-Minze)
EM	<i>Golovinomyces monardae</i>	Mentha aquatica (Wasser-Minze)
Rost	<i>Puccinia menthae</i>	Mentha arvensis
FM	<i>Peronospora stigmaticola</i>	Mentha arvensis (Acker-Minze)
Rost	<i>Puccinia menthae</i>	Mentha longifolia

Rost	<i>Puccinia menthae</i>	Mentha spicata
Rost	<i>Puccinia menthae</i>	Mentha verticillata
FM	<i>Peronospora stigmaticola</i>	Mentha x verticillata (Quirl-Malve)
Rost	<i>Melampsora pulcherrima</i>	Mercurialis annua
Rost	<i>Puccinia cynodontis</i>	Mercurialis annua
Rost	<i>Melampsora rostrupii</i>	Mercurialis perennis
Rost	<i>Nyssopsora echinata</i>	Meum athamanticum
Rost	<i>Puccinia graminis</i>	Miliun effusum
EM	<i>Blumeria graminis-Gruppe</i>	Miliun effusum (Wald-Flattergras)
Rost	<i>Puccinia arenariae</i>	Moehringia mucosa
Rost	<i>Puccinia arenariae</i>	Moehringia trinervia
FM	<i>Peronospora arenariae</i>	Moehringia trinervia (Dreinervige Nabelmiere)
EM	<i>Golovinomyces monardae</i>	Monarda fistulosa (Indianernessel)
Brand	<i>Antherospora hortensis</i>	Muscari armeniacum
Brand	<i>Antherospora spec.</i>	Muscari aucheri
Rost	<i>Uromyces muscari</i>	Muscari botryoides
Rost	<i>Uromyces muscari</i>	Muscaria armeniacum
Rost	<i>Puccinia chondrillae</i>	Mycelis muralis
Rost	<i>Puccinia opizii</i>	Mycelis muralis
Brand	<i>Entyloma fergussonii</i>	Myosotis arvensis (Acker-Vergißmeiniht)
FM	<i>Peronospora myosotidis</i>	Myosotis arvensis (Acker-Vergißmeiniht)
EM	<i>Golovinomyces asperifolii</i>	Myosotis arvensis (Acker-Vergißmeiniht)
Brand	<i>Entyloma fergussonii</i>	Myosotis nemorosa (Hain-Vergißmeiniht)
Brand	<i>Entyloma fergussonii</i>	Myosotis scorpioides (Sumpf-Vergißmeiniht)
Brand	<i>Entyloma fergussonii</i>	Myosotis sylvatica (Wald-Vergißmeiniht)
Rost	<i>Puccinia chaerophylli</i>	Myrrhis odorata
Rost	<i>Puccinia thlaspeos</i>	Noccea rotundifolia
Rost	<i>Puccinia notobasidis</i>	Notobasis syriaca
Brand	<i>Rhamphospora nymphaeae</i>	Nymphaea x borealis (Bastard-Seerose)
Brand	<i>Rhamphospora nymphaeae</i>	Nymphaea-Hybride cult. (Weiße Seerose)
Rost	<i>Coleosporium euphrasiae</i>	Odontites vernus
Rost	<i>Coleosporium euphrasiae</i>	Odontites vulgaris
Rost	<i>Cronartium flaccidum</i>	Odontites vulgaris
Rost	<i>Pucciniastrum epilobii</i>	Oenothera acaulis
EM	<i>Erysiphe howeana</i>	Oenothera biennis (Gewöhnliche Nachtkerze)
FM	<i>Peronospora arthurii</i>	Oenothera biennis agg. (Nachtkerze)
EM	<i>Erysiphe howeana</i>	Oenothera versicolor, cult. (Verschiedenfarbige Nachtkerze)
Rost	<i>Uromyces onobrychidis</i>	Onobrychis montana
Rost	<i>Uromyces onobrychidis</i>	Onobrychis viciifolia
EM	<i>Erysiphe trifoliorum</i>	Onobrychis viciifolia (Saat-Esparsette)
Rost	<i>Puccinia menthae</i>	Origanum vulgare
EM	<i>Golovinomyces monardae</i>	Origanum vulgare (Dost)
Rost	<i>Puccinia hordei</i>	Ornithogalum montanum
Rost	<i>Puccinia hordei</i>	Ornithogalum sp.
Rost	<i>Puccinia hordei</i>	Ornithogalum sp.
Rost	<i>Puccinia liliacearum</i>	Ornithogalum umbellatum agg.

Rost	<i>Pucciniastrum pyrolae</i>	Orthilia secunda
Rost	<i>Puccinia oxalidis</i>	Oxalis articulata
EM	<i>Erysiphe russellii</i>	Oxalis stricta (Aufrechter Sauerklee)
Brand	<i>Thecaphora oxalidis</i>	Oxalis stricta (Steifer Sauerklee)
Rost	<i>Microbotryum vinosum</i>	Oxyria digyna
Rost	<i>Uromyces punctatus s.str.</i>	Oxytropis pilosa
Rost	<i>Puccinia paederotae</i>	Paederota lutea
Rost	<i>Cronartium flaccidum</i>	Paeonia officinalis
Rost	<i>Cronartium flaccidum</i>	Paeonia peregrina
Brand	<i>Entyloma mediterraneum</i>	Pallenis spinosa (Stechender Strandstern)
FM	<i>Peronospora arborescens</i>	Papaver dubium (Saat-Mohn)
Brand	<i>Entyloma fuscum s.str.</i>	Papaver dubium s. str. (Saat-Mohn)
Brand	<i>Entyloma fuscum s.str.</i>	Papaver rhoeas (Klatsch-Mohn)
FM	<i>Peronospora arborescens</i>	Papaver rhoeas (Klatsch-Mohn)
FM	<i>Peronospora arborescens</i>	Papaver somniferum (Klatsch-Mohn)
Rost	<i>Puccinia uliginosa</i>	Parnassia palustris
EM	<i>Erysiphe heraclei</i>	Pastinaca sativa (Pastinak)
FM	<i>Plasmopara densa</i>	Pedicularis foliosa (Durchblättertes Läusekraut)
Rost	<i>Puccinia pelargonii-zonalis</i>	Pelargonium zonale
Rost	<i>Coleosporium senecionis</i>	Pericallis cruenta
Rost	<i>Puccinia polygoni-amphibii</i>	Persicaria amphibia
Rost	<i>Microbotryum cordae</i>	Persicaria hydropiper
Rost	<i>Sphacelotheca hydropiperis</i>	Persicaria hydropiper
Rost	<i>Microbotryum reticulatum</i>	Persicaria lapathifolia
Rost	<i>Puccinia polygoni-amphibii</i>	Persicaria lapathifolia
Rost	<i>Sphacelotheca hydropiperis</i>	Persicaria maculosa
Rost	<i>Sphacelotheca hydropiperis</i>	Persicaria minor
Rost	<i>Sphacelotheca hydropiperis</i>	Persicaria mitis
Rost	<i>Coleosporium petasitis</i>	Petasites albus
Rost	<i>Puccinia poarum s. l.</i>	Petasites albus
Rost	<i>Coleosporium petasitis</i>	Petasites hybridus
Rost	<i>Coleosporium petasitis</i>	Petasites japonicus
Rost	<i>Coleosporium petasitis</i>	Petasites paradoxus
Rost	<i>Puccinia expansa</i>	Petasites paradoxus
Rost	<i>Puccinia poarum s. l.</i>	Petasites paradoxus
Rost	<i>Uromyces dianthi</i>	Petrorhagia saxifraga
Rost	<i>Puccinia carniolica</i>	Peucedanum carvifolia
Rost	<i>Puccinia cervariae</i>	Peucedanum cervaria
Rost	<i>Puccinia rugulosa</i>	Peucedanum officinale
Rost	<i>Puccinia oreoselini</i>	Peucedanum oreoselinum
Rost	<i>Puccinia imperatoriae</i>	Peucedanum ostruthium
Rost	<i>Puccinia imperatoriae-mamillata</i>	Peucedanum ostruthium
Rost	<i>Puccinia semadenii</i>	Peucedanum palustre
FM	<i>Plasmopara peucedani</i>	Peucedanum palustre (Sumpf-Haarstrang)
Rost	<i>Puccinia terrieri</i>	Peucedanum verticillare
Rost	<i>Puccinia sessilis</i>	Phalaris arundinacea

Brand	<i>Ustilago echinata</i>	Phalaris arundinacea (Rohr-Glanzgras)
Rost	<i>Uromyces appendiculatus</i>	Phaseolus coccineus
Rost	<i>Uromyces appendiculatus</i>	Phaseolus vulgaris
Rost	<i>Uredinopsis filicina</i>	Phegopteris connectilis
Rost	<i>Zaghouania phillyreae</i>	Phillyrea angustifolia
Rost	<i>Puccinia graminis</i>	Phleum pratense
Rost	<i>Uromyces phlei-michelii</i>	Phleum rhaeticum
EM	<i>Golovinomyces magnicellulatus</i>	Phlox paniculata (Staudenphlox)
Rost	<i>Puccinia magnusiana</i>	Phragmites australis
Rost	<i>Puccinia phragmitis</i>	Phragmites australis
Brand	<i>Neovossia molinia</i>	Phragmites australis (Schilf)
Brand	<i>Ustilago grandis</i>	Phragmites australis (Schilf)
Rost	<i>Puccinia physospermi</i>	Physospermum cornubiense
Rost	<i>Uromyces phyteumarum</i>	Phyteuma betonicifolium
Rost	<i>Uromyces phyteumarum</i>	Phyteuma hemisphaericum
Rost	<i>Coleosporium campanulae</i>	Phyteuma orbiculare
Rost	<i>Uromyces caricis-sempervirentis</i>	Phyteuma orbiculare
Rost	<i>Uromyces phyteumarum</i>	Phyteuma orbiculare
Rost	<i>Uromyces phyteumarum</i>	Phyteuma ovatum
Rost	<i>Coleosporium campanulae</i>	Phyteuma spicatum
Rost	<i>Uromyces phyteumarum</i>	Phyteuma spicatum
Rost	<i>Chrysomyxa abietis</i>	Picea abies
Rost	<i>Chrysomyxa rhododendri</i>	Picea abies
Rost	<i>Thekopsora areolata</i>	Picea abies
Rost	<i>Puccinia acarnae</i>	Picnomon arcana
Rost	<i>Puccinia picridis</i>	Picris hieracioides
Brand	<i>Entyloma picridis</i>	Picris hieracioides (Gewöhnliches Bitterkraut)
EM	<i>Golovinomyces cichoracearum-Gruppe</i>	Picris hieracioides (Gewöhnliches Bitterkraut)
Rost	<i>Puccinia piloselloidarum</i>	Pilosella aurantiaca
EM	<i>Golovinomyces hieraciorum</i>	Pilosella aurantiaca (Orangerotes Habichtskraut)
Rost	<i>Puccinia piloselloidarum</i>	Pilosella bauhini
Rost	<i>Puccinia piloselloidarum</i>	Pilosella cymosa
Rost	<i>Puccinia piloselloidarum</i>	Pilosella flagellaris
EM	<i>Golovinomyces hieraciorum</i>	Pilosella flagellaris (Ausläuferreiches Habichtskraut)
Brand	<i>Entyloma hieracii</i>	Pilosella officinarum (Mausohr-Habichtskraut)
Rost	<i>Puccinia piloselloidarum</i>	Pilosella piloselloides
Rost	<i>Puccinia pimpinellae</i>	Pimpinella cretica
Rost	<i>Puccinia pimpinellae</i>	Pimpinella major
FM	<i>Plasmopara pimpinellae</i>	Pimpinella major subsp. rubra (Rotblütige Große Bibernelle)
Rost	<i>Puccinia pimpinellae</i>	Pimpinella nigra
FM	<i>Plasmopara pimpinellae</i>	Pimpinella saxifraga (Kleine Bibernelle)
EM	<i>Erysiphe heraclei</i>	Pimpinella saxifraga (Kleine Bibernelle)
Rost	<i>Microbotryum alpinum</i>	Pinguicula alpina
Rost	<i>Peridermium oblongisporum</i>	Pinus canariense
Rost	<i>Peridermium oblongisporum</i>	Pinus mugo

Rost	<i>Peridermium oblongisporum</i>	Pinus sylvestris
Rost	<i>Cronartium flaccidum</i>	Pinus sylvestris
Rost	<i>Uromyces pisis.str.</i>	Pisum sativum
EM	<i>Golovinomyces sordidus</i>	Plantago alpina (Alpen-Wegerich)
Rost	<i>Puccinia cynodontis</i>	Plantago lagopus
Rost	<i>Puccinia cynodontis</i>	Plantago lanceolata
EM	<i>Podosphaera plantaginis</i>	Plantago lanceolata (Spitz-Wegerich)
EM	<i>Golovinomyces sordidus</i>	Plantago major (Breit-Wegerich)
FM	<i>Peronospora alta</i>	Plantago major (Großer Wegerich)
EM	<i>Golovinomyces sordidus</i>	Plantago major subsp. intermedia (Vielsamiger Breit-Wegerich)
EM	<i>Erysiphe platani</i>	Platanus x hispanicam, cult. (Gewöhnliche Platane)
Rost	<i>Puccinia poae-nemoralis</i>	Poa alpina
Rost	<i>Puccinia poae-nemoralis</i>	Poa annua
Rost	<i>Puccinia poarum s. str.</i>	Poa bulbosa
Brand	<i>Urocystis poae</i>	Poa cenisia (Rispengras)
Rost	<i>Puccinia poae-nemoralis</i>	Poa chaixii
Rost	<i>Puccinia graminis</i>	Poa compressa
Brand	<i>Urocystis poae</i>	Poa laxa (Niederliegendes Rispengras)
Rost	<i>Puccinia graminis</i>	Poa nemoralis
Rost	<i>Puccinia poae-nemoralis</i>	Poa nemoralis
Rost	<i>Puccinia poarum s. str.</i>	Poa nemoralis
Rost	<i>Puccinia poae-nemoralis</i>	Poa pratensis
Rost	<i>Puccinia poarum s. str.</i>	Poa pratensis
EM	<i>Blumeria graminis-Gruppe</i>	Poa pratensis (Wiesen-Rispengras)
Rost	<i>Uromyces poae</i>	Poa trivialis
EM	<i>Blumeria graminis-Gruppe</i>	Poa trivialis (Gewöhnliches Rispengras)
Rost	<i>Puccinia sessilis</i>	Polygonatum multiflorum
Rost	<i>Puccinia sessilis</i>	Polygonatum verticillatum
Rost	<i>Uromyces polygoni-avicularis</i>	Polygonum aviculare
FM	<i>Peronospora polygoni</i>	Polygonum aviculare (Vogel-Knöterich)
EM	<i>Erysiphe polygoni</i>	Polygonum aviculare (Vogel-Knöterich)
Rost	<i>Milesina dieteliana</i>	Polypodium vulgare
Rost	<i>Milesina neovogesiaca</i>	Polystichum aculeatum
Rost	<i>Milesina neovogesiaca</i>	Polystichum lonchitis
Rost	<i>Melampsora rostrupii</i>	Populus alba
Rost	<i>Melampsora allii-populina</i>	Populus canadensis
Rost	<i>Melampsora laricis-populina</i>	Populus canadensis
Rost	<i>Melampsora populnea</i>	Populus canescens
Rost	<i>Melampsora rostrupii</i>	Populus canescens
Rost	<i>Melampsora laricis-populina</i>	Populus nigra
Taph	<i>Taphrina populina</i>	Populus nigra (Schwarz-Pappel)
EM	<i>Erysiphe adunca</i>	Populus nigra agg. (Schwarz-Pappel)
Rost	<i>Melampsora laricis-tremulae</i>	Populus tremula
Rost	<i>Melampsora rostrupii</i>	Populus tremula
EM	<i>Erysiphe adunca</i>	Populus tremula (Zitter-Pappel)
Rost	<i>Melampsora laricis-populina</i>	Populus trichocarpa

FM	<i>Wilsoniana portulacae</i>	Portulaca oleracea (Gemüse-Portulak)
Rost	<i>Phragmidium fragariae</i>	Potentilla alba
Rost	<i>Phragmidium tormentillae</i>	Potentilla anglica
Rost	<i>Phragmidium potentillae</i>	Potentilla argentea
Rost	<i>Phragmidium potentillae</i>	Potentilla aurea
FM	<i>Peronospora potentillae</i>	Potentilla aurea (Gold-Fingerkraut)
Rost	<i>Phragmidium potentillae</i>	Potentilla cf. norvegica
Rost	<i>Phragmidium potentillae</i>	Potentilla cinerea
Rost	<i>Phragmidium tormentillae</i>	Potentilla cinerea
Rost	<i>Phragmidium potentillae</i>	Potentilla crantzii
Rost	<i>Phragmidium tormentillae</i>	Potentilla erecta
EM	<i>Podosphaera aphanis</i>	Potentilla fruticosa (Strauch-Fingerkraut)
Rost	<i>Phragmidium mexicanum</i>	Potentilla indica
Rost	<i>Phragmidium fragariae</i>	Potentilla micrantha
Rost	<i>Phragmidium potentillae</i>	Potentilla neumanniana
EM	<i>Podosphaera aphanis var. hyalina</i>	Potentilla palustris (Sumpf-Blutauge)
Rost	<i>Phragmidium tormentillae</i>	Potentilla recta
EM	<i>Podosphaera aphanis</i>	Potentilla recta (Aufrechtes Fingerkraut)
FM	<i>Peronospora potentillae-reptantis</i>	Potentilla reptans (Kriechendes Fingerkraut)
EM	<i>Podosphaera aphanis</i>	Potentilla reptans (Kriechendes Fingerkraut)
Rost	<i>Phragmidium fragariae</i>	Potentilla sterilis
EM	<i>Podosphaera aphanis</i>	Potentilla sterilis (Erdbeer-Fingerkraut)
Rost	<i>Phragmidium potentillae</i>	Potentilla thuringiaca
Rost	<i>Phragmidium tormentillae</i>	Potentilla verna
Rost	<i>Puccinia maculosa</i>	Prenanthes purpurea
EM	<i>Golovinomyces prenanthis</i>	Prenanthes purpurea (Purpur-Hasenlattich)
Rost	<i>Uromyces auriculae</i>	Primula auricula
Rost	<i>Uromyces primulae s.str.</i>	Primula hirsuta
FM	<i>Peronospora oerteliana</i>	Primula veris (Echte Primel)
Brand	<i>Urocystis primulae</i>	Primula veris (Echte Schlüsselblume)
Rost	<i>Puccinia prunellarum-moliniae</i>	Prunella grandiflora
Rost	<i>Ochropsora ariae</i>	Prunus cerasifera
Rost	<i>Tranzschelia pruni-spinosae</i>	Prunus domestica
Rost	<i>Thekopsora areolata</i>	Prunus padus
EM	<i>Podosphaera tridactyla</i>	Prunus padus (Gewöhnliche Traubenkirsche)
Taph	<i>Taphrina padi</i>	Prunus padus (Gewöhnliche Traubenkirsche)
Taph	<i>Taphrina deformans</i>	Prunus persica (Pfirsich)
EM	<i>Podosphaera prunicola</i>	Prunus serotina (Späte Traubenkirsche)
Taph	<i>Taphrina farlowii</i>	Prunus serotina (Späte Traubenkirsche)
Rost	<i>Tranzschelia discolor</i>	Prunus spinosa
Rost	<i>Tranzschelia pruni-spinosae</i>	Prunus spinosa
EM	<i>Erysiphe prunastri</i>	Prunus spinosa (Schlehe)
EM	<i>Podosphaera ampla</i>	Prunus spinosa (Schlehe)
Taph	<i>Taphrina pruni</i>	Prunus spinosa (Schlehe)
Rost	<i>Puccinia graminis</i>	Puccinellia distans

Hyper	<i>Eudarluca caricis</i>	Pucciniomycotina (Rostpilze)
Hyper	<i>Ramularia coleosporii</i>	Pucciniomycotina (Rostpilze)
Hyper	<i>Tuberculina persicina</i>	Pucciniomycotina (Rostpilze)
Hyper	<i>Cladosporium aecidiicola</i>	Pucciniomycotina (Rostpilze, auf Aeziem)
Hyper	<i>Tuberculina sbrozzii</i>	Pucciniomycotina auf Vinca (Rostpilze)
Hyper	<i>Tuberculina maxima</i>	Pucciniomycotina, Gymnosporangium & Cronartium (Rostpilze)
Hyper	<i>Ramularia uredinis</i>	Pucciniomycotina, Pucciniastraceae (Rostpilze)
EM	<i>Podosphaera erigerontis-canadensis</i>	Pulicaria dysenterica (Großes Flohkraut)
EM	<i>Golovinomyces asperifoliorum</i>	Pulmonaria obscura (Dunkles Lungenkraut)
Rost	<i>Puccinia symphyti-bromorum</i>	Pulmonaria officinalis
EM	<i>Golovinomyces asperifoliorum</i>	Pulmonaria saccharata (Lungenkraut)
Rost	<i>Puccinia pulsatillae</i>	Pulsatilla alpina
FM	<i>Plasmoverna pygmaea</i>	Pulsatilla alpina subsp. apiifolia (Schwefelgelbe Alpen-Kuhschelle)
Brand	<i>Urocystis pulsatillae</i>	Pulsatilla alpina subsp. apiifolia (Schwefelgelbe Alpen-Kuhschelle)
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla cf. ambigua
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla cf. bungeana
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla grandis
Rost	<i>Tranzschelia pulsatillae</i>	Pulsatilla montana
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla pratensis
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla pratensis subsp. nigricans
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla regeliana
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla rubra
Rost	<i>Tranzschelia pulsatillae</i>	Pulsatilla vernalis
Rost	<i>Coleosporium pulsatillae</i>	Pulsatilla vulgaris
Rost	<i>Chrysomyxa pyrolata</i>	Pyrola minor
Rost	<i>Gymnosporangium sabiniae</i>	Pyrus communis
Rost	<i>Gymnosporangium sabiniae</i>	Pyrus pyraeaster
Taph	<i>Taphrina bullata</i>	Pyrus pyraeaster (Wild-Birne)
Rost	<i>Cronartium quercuum</i>	Quercus ilex
EM	<i>Erysiphe alphitoides</i>	Quercus petraea (Trauben-Eiche)
Brand	<i>Microstroma album</i>	Quercus robur (Stiel-Eiche)
EM	<i>Erysiphe alphitoides</i>	Quercus robur (Stiel-Eiche)
EM	<i>Erysiphe hypophylla</i>	Quercus robur (Stiel-Eiche)
EM	<i>Erysiphe alphitoides</i>	Quercus x rosacea (Bastard-Eiche)
Rost	<i>Uromyces alpinus</i>	Ranunculus villarsii
Rost	<i>Uromyces dactylidis s.str.</i>	Ranunculus aconitifolius
Rost	<i>Aecidium ranunculi-acris</i>	Ranunculus acris
Brand	<i>Entyloma microsporum s.l.</i>	Ranunculus acris (Scharfer Hahnenfuß)
Brand	<i>Entyloma ranunculi-repentis s.l.</i>	Ranunculus acris (Scharfer Hahnenfuß)
FM	<i>Peronospora hiemalis</i>	Ranunculus acris (Scharfer Hahnenfuß)
EM	<i>Erysiphe aquilegiae var. ranunculi</i>	Ranunculus acris (Scharfer Hahnenfuß)
Rost	<i>Puccinia gibberulosa</i>	Ranunculus alpestris

Brand	<i>Entyloma ranunculi-repentis</i> <i>s.l.</i>	Ranunculus auricomus agg. (Goldschopf-Hahnenfuß)
FM	<i>Peronospora ranunculi</i>	Ranunculus auricomus agg. (Goldschopf-Hahnenfuß)
Brand	<i>Entyloma microsporium</i> <i>s.l.</i>	Ranunculus breyninus (Hochgebirgs-Hahnenfuß)
Rost	<i>Aecidium ranunculi-acris</i>	Ranunculus bulbosus
Brand	<i>Entyloma ranunculi-repentis</i> <i>s.l.</i>	Ranunculus bulbosus (Knollen-Hahnenfuß)
FM	<i>Peronospora ranunculi</i>	Ranunculus bulbosus (Knolliger Hahnenfuß)
Rost	<i>Aecidium ranunculi-acris</i>	Ranunculus creticus
FM	<i>Peronospora ficariae</i>	Ranunculus ficaria (Scharbockskraut)
EM	<i>Erysiphe aquilegiae</i> var. <i>ranunculi</i>	Ranunculus lingua (Zungen-Hahnenfuß)
Rost	<i>Uromyces poae-alpinae</i>	Ranunculus montanus
Brand	<i>Urocystis ranunculi</i>	Ranunculus montanus (Berg-Hahnenfuß)
Rost	<i>Aecidium ranunculi-acris</i>	Ranunculus polyanthemos
Rost	<i>Aecidium ranunculi-acris</i>	Ranunculus pyrenaicus
Rost	<i>Aecidium ranunculi-acris</i>	Ranunculus repens
Brand	<i>Entyloma microsporium</i> <i>s.l.</i>	Ranunculus repens (Kriechender Hahnenfuß)
Brand	<i>Entyloma ranunculi-repentis</i> <i>s.l.</i>	Ranunculus repens (Kriechender Hahnenfuß)
Brand	<i>Urocystis ranunculi</i>	Ranunculus repens (Kriechender Hahnenfuß)
FM	<i>Peronospora ranunculi</i>	Ranunculus repens (Kriechender Hahnenfuß)
Brand	<i>Urocystis ranunculi</i>	Ranunculus villarsii (Greniers Berg-Hahnenfuß)
Rost	<i>Puccinia rhagadioli</i>	Rhagadiolus stellatus
Rost	<i>Puccinia mesneriana</i>	Rhamnus velutina
FM	<i>Plasmopara densa</i>	Rhinanthus alectorolophus (Zottiger Klappertopf)
Rost	<i>Coleosporium euphrasiae</i>	Rhinanthus alectoropholus
Rost	<i>Coleosporium euphrasiae</i>	Rhinanthus alectoropholus
Rost	<i>Coleosporium euphrasiae</i>	Rhinanthus glacialis
FM	<i>Plasmopara densa</i>	Rhinanthus glacialis (Grannen-Klappertopf)
EM	<i>Podosphaera phtheirospermi</i>	Rhinanthus glacialis (Grannen-Klappertopf)
FM	<i>Plasmopara densa</i>	Rhinanthus minor (Kleiner Klappertopf)
Rost	<i>Chrysomyxa rhododendri</i>	Rhododendron ferrugineum
Brand	<i>Exobasidium rhododendri</i>	Rhododendron ferrugineum (Rostrote Alpenrose)
Rost	<i>Chrysomyxa rhododendri</i>	Rhododendron hirsutum
Brand	<i>Exobasidium rhododendri</i>	Rhododendron hirsutum (Bewimperte Alpenrose)
Rost	<i>Chrysomyxa rhododendri</i>	Rhododendron intermedium
Brand	<i>Exobasidium japonicum</i>	Rhododendron kiusianum (Rhodoendron)
EM	<i>Erysiphe azaleae</i>	Rhododendron luteum , cult. (Gelbe Azalee)
EM	<i>Erysiphe azaleae</i>	Rhododendron spp., cult. (Azalee)
Rost	<i>Caecoma ribesii</i>	Ribes alpinum
Rost	<i>Puccinia caricina</i> <i>s. l.</i>	Ribes alpinum
EM	<i>Podosphaera mors-uvae</i>	Ribes alpinum (Alpen-Johannisbeere)
Rost	<i>Cronartium ribicola</i>	Ribes aureum
Rost	<i>Cronartium ribicola</i>	Ribes nigrum
Rost	<i>Caecoma ribesii</i>	Ribes rubrum
Rost	<i>Cronartium ribicola</i>	Ribes rubrum
Rost	<i>Puccinia ribis</i>	Ribes rubrum

Rost	<i>Cronartium ribicola</i>	Ribes sanguineum
EM	<i>Podosphaera mors-uvae</i>	Ribes sanguineum, cult. (Blutrote Johannisbeere)
Rost	<i>Caecoma ribesii</i>	Ribes uva-crispa
Rost	<i>Cronartium ribicola</i>	Ribes uva-crispa
Rost	<i>Puccinia caricina s. l.</i>	Ribes uva-crispa
EM	<i>Erysiphe grossulariae</i>	Ribes uva-crispa (Stachelbeere)
EM	<i>Podosphaera mors-uvae</i>	Ribes uva-crispa, cult. (Stachelbeere)
EM	<i>Erysiphe palczewskii</i>	Robinia pseudoacacia (Robinie)
FM	<i>Albugo candidas.l.</i>	Rorippa palustris (Gewöhnliche Sumpfkresse)
FM	<i>Hyaloperonospora rorippae-islandicae</i>	Rorippa palustris (Gewöhnliche Sumpfkresse)
Rost	<i>Phragmidium mucronatum</i>	Rosa canina
Rost	<i>Phragmidium tuberculatum</i>	Rosa canina
EM	<i>Podosphaera pannosa</i>	Rosa canina (Hunds-Rose)
EM	<i>Podosphaera pannosa</i>	Rosa corymbifera (Hecken-Rose)
EM	<i>Podosphaera pannosa</i>	Rosa multiflora (Vielblütige Rose)
Rost	<i>Phragmidium fusiforme</i>	Rosa pendulina
Rost	<i>Phragmidium mucronatum</i>	Rosa rubiginosa
Rost	<i>Phragmidium tuberculatum</i>	Rosa rubiginosa
Rost	<i>Phragmidium tuberculatum</i>	Rosa rugosa
EM	<i>Podosphaera pannosa</i>	Rosa rugosa (Kartoffel-Rose)
EM	<i>Podosphaera pannosa</i>	Rosa spinosissima (Bibernell-Rose)
Rost	<i>Phragmidium rosae-pimpinellifoliae</i>	Rosa spinosissima
Rost	<i>Phragmidium tuberculatum</i>	Rosa spinosissima
Rost	<i>Phragmidium tuberculatum</i>	Rosa tomentosa
Rost	<i>Phragmidium tuberculatum</i>	Rosa x alba
Rost	<i>Phragmidium tuberculatum</i>	Rosa-Kultursippe
Rost	<i>Phragmidium bulbosum</i>	Rubus caesius
Rost	<i>Phragmidium violaceum</i>	Rubus fruticosus agg.
Rost	<i>Phragmidium rubi-idaei</i>	Rubus idaeus
Rost	<i>Kuehneola uredinis</i>	Rubus laciniatus
Rost	<i>Phragmidium violaceum</i>	Rubus laciniatus
Rost	<i>Kuehneola uredinis</i>	Rubus pedemontanus
Rost	<i>Kuehneola uredinis</i>	Rubus Sect. Corylifolius
Rost	<i>Kuehneola uredinis</i>	Rubus Sect. Rubus
Rost	<i>Phragmidium bulbosum</i>	Rubus sect. Rubus
Rost	<i>Puccinia phragmitis</i>	Rumex acetosa
Rost	<i>Puccinia acetosae</i>	Rumex acetosa
FM	<i>Peronospora rumicis</i>	Rumex acetosa (Großer Sauerampfer)
Rost	<i>Puccinia acetosae</i>	Rumex acetosella
EM	<i>Erysiphe polygoni</i>	Rumex acetosella (Kleiner Sauerampfer)
Rost	<i>Uromyces alpinus</i>	Rumex alpinus
Rost	<i>Puccinia acetosae</i>	Rumex arifolius
Rost	<i>Uromyces acetosae</i>	Rumex arifolius
Rost	<i>Puccinia phragmitis</i>	Rumex crispus
Rost	<i>Uromyces rumicis</i>	Rumex crispus

Rost	<i>Puccinia phragmitis</i>	Rumex hydrolapathum
Rost	<i>Uromyces rumicis</i>	Rumex hydrolapathum
Rost	<i>Uromyces rumicis</i>	Rumex maritimus
Rost	<i>Puccinia phragmitis</i>	Rumex obtusifolius
Rost	<i>Uromyces rumicis</i>	Rumex obtusifolius
Rost	<i>Uromyces rumicis</i>	Rumex patientina
Rost	<i>Uromyces rumicis</i>	Rumex pratensis
Rost	<i>Uromyces rumicis</i>	Rumex pulcher
Rost	<i>Puccinia phragmitis</i>	Rumex sanguineus
Rost	<i>Puccinia pedunculata</i>	Rumex scutatus
Rost	<i>Puccinia acetosae</i>	Rumex thyrsoflorus
FM	<i>Peronospora rumicis</i>	Rumex thyrsoflorus (Straußblütiger Ampfer)
Rost	<i>Puccinia acetosae</i>	Rumex tuberosus ssp. creticus
Rost	<i>Puccinia arenariae</i>	Sagina procumbens
Rost	<i>Melampsora salicis-albae</i>	Salix alba
Rost	<i>Melampsora cf. abieticaprearum</i>	Salix ambigua
Rost	<i>Melampsora salicina</i>	Salix aurita
Rost	<i>Melampsora caprearum</i>	Salix caprea
Rost	<i>Melampsora salicina</i>	Salix caprea
EM	<i>Erysiphe capreae</i>	Salix caprea (Sal-Weide)
Rost	<i>Melampsora allii-fragilis</i>	Salix fragilis
Rost	<i>Melampsora galanthi-fragilis</i>	Salix fragilis
Rost	<i>Melampsora arctica</i>	Salix herbacea
Rost	<i>Melampsora epitea s.l.</i>	Salix lucida
Rost	<i>Melampsora reticulatae</i>	Salix reticulata
Rost	<i>Melampsora arctica</i>	Salix retusa
Rost	<i>Melampsora reticulatae</i>	Salix retusa
Rost	<i>Melampsora cf. laricis-pentandrae</i>	Salix rubens
Rost	<i>Melampsora amygdalinae</i>	Salix triandra
Rost	<i>Melampsora ribis-viminalis</i>	Salix viminalis
Rost	<i>Melampsora laricis-epitea</i>	Salix waldsteinia
EM	<i>Golovinomyces salviae</i>	Salvia farinacea, cult. (Mehliger Salbei)
Rost	<i>Puccinia salviae</i>	Salvia glutinosa
EM	<i>Golovinomyces salviae</i>	Salvia glutinosa (Klebirger Salbei)
EM	<i>Golovinomyces neosalviae</i>	Salvia officinalis (Echter Salbei)
Rost	<i>Microbotryum salviae</i>	Salvia pratensis
FM	<i>Peronospora swinglei</i>	Salvia pratensis (Wiesen-Salbei)
EM	<i>Golovinomyces salviae</i>	Salvia pratensis (Wiesen-Salbei)
EM	<i>Golovinomyces salviae</i>	Salvia verticillata, cult. (Quirblütiger Salbei)
EM	<i>Erysiphe vanbruntiana var. sambuci-racemosae</i>	Sambucus racemosa (Roter Traubenholunder)
Rost	<i>Phragmidium sanguisorbae</i>	Sanguisorba minor
FM	<i>Peronospora sanguisorbae</i>	Sanguisorba officinalis (Großer Wiesenknopf)
EM	<i>Podosphaera ferruginea</i>	Sanguisorba officinalis (Großer Wiesenknopf)
Rost	<i>Puccinia saniculae</i>	Sanicula europaea
Rost	<i>Microbotryum saponariae</i>	Saponaria ocymoides

Rost	<i>Microbotryum saponariae</i>	Saponaria officinalis
Brand	<i>Thecaphora saponariae</i>	Saponaria officinalis (Gewöhnliches Seifenkraut)
Rost	<i>Microbotryum saponariae</i>	Saponaria pumila
Rost	<i>Phragmidium sarcopoterii</i>	Sarcopoterium spinosum
Rost	<i>Melampsora reticulatae</i>	Saxifraga aizoides
Rost	<i>Puccinia saxifragae</i>	Saxifraga granulata
Rost	<i>Melampsora arctica</i>	Saxifraga moschata
Rost	<i>Melampsora reticulatae</i>	Saxifraga moschata
Rost	<i>Melampsora reticulatae</i>	Saxifraga muscoides
Rost	<i>Melampsora arctica</i>	Saxifraga oppositifolia
Rost	<i>Puccinia huteri</i>	Saxifraga paniculata
EM	<i>Erysiphe knautiae</i>	Scabiosa japonica, cult. (Japanische Skabiose)
Rost	<i>Microbotryum intermedium</i>	Scabiosa lucida
EM	<i>Erysiphe knautiae</i>	Scabiosa lucida, cult. (Glänzende Skabiose)
Rost	<i>Puccinia smyrnii</i>	Scaligeria napiformis
Rost	<i>Puccinia rossiana</i>	Scilla bifolia
Rost	<i>Puccinia scillae-rubrae</i>	Scilla bifolia
Brand	<i>Antherospora scillae</i>	Scilla bifolia
Rost	<i>Uromyces scillarum</i>	Scilla paui
Rost	<i>Uromyces scillarum</i>	Scilla ramburei
Rost	<i>Puccinia rossiana</i>	Scilla siberica
Brand	<i>Antherospora vindobonensis</i>	Scilla vindobonensis
Rost	<i>Puccinia jackyana</i>	Scorzonera elata
Rost	<i>Microbotryum scorzonerae</i>	Scorzonera humilis
Rost	<i>Puccinia podospermi</i>	Scorzonera laciniata
Rost	<i>Puccinia leontodontis</i>	Scorzoneroides autumnalis
EM	<i>Podosphaera erigerontis-canadensis</i>	Scorzoneroides autumnalis (Herbst-Löwenzahn)
Rost	<i>Puccinia leontodontis</i>	Scorzoneroides helvetica
Rost	<i>Puccinia leontodontis</i>	Scorzoneroides montana
Rost	<i>Uromyces scrophulariae</i>	Scrophularia nodosa
FM	<i>Peronospora sordida</i>	Scrophularia nodosa (Knotige Braunwurz)
Rost	<i>Puccinia graminis</i>	Secale cereale
Rost	<i>Uromyces coronillae</i>	Securigera securidaca
Rost	<i>Uromyces coronillae</i>	Securigera varia
Rost	<i>Puccinia longissima</i>	Sedum sexangulare
Rost	<i>Endophyllum sempervivi</i>	Sempervivum arachnoideum
Rost	<i>Endophyllum sempervivi</i>	Sempervivum montanum
Rost	<i>Endophyllum sempervivi</i>	Sempervivum tectorum
Rost	<i>Coleosporium senecionis</i>	Senecio alpinus
EM	<i>Podosphaera senecionis</i>	Senecio aquaticus (Wasser-Greiskraut)
Rost	<i>Puccinia silvatica</i>	Senecio cacaliaster
Rost	<i>Coleosporium senecionis</i>	Senecio doronicum
Rost	<i>Puccinia expansa</i>	Senecio doronicum
EM	<i>Golovinomyces senecionis</i>	Senecio doronicum (Gemschwurz-Greiskraut)
Rost	<i>Puccinia dioicae</i>	Senecio hercynicus
Rost	<i>Coleosporium senecionis</i>	Senecio inaequidens

FM	<i>Bremia lactucae s.l.</i>	Senecio inaequidens (Schmalblättriges Greiskraut)
EM	<i>Podosphaera senecionis</i>	Senecio jacobaea (Jakobs-Greiskraut)
Rost	<i>Coleosporium senecionis</i>	Senecio ovatus
EM	<i>Podosphaera senecionis</i>	Senecio ovatus (Fuchs'-Greiskraut)
FM	<i>Bremia lactucae s.l.</i>	Senecio polyodon (Greiskraut)
Rost	<i>Coleosporium senecionis</i>	Senecio sylvaticus
Rost	<i>Coleosporium senecionis</i>	Senecio vernalis
Rost	<i>Puccinia lagenophorae</i>	Senecio vernalis
Rost	<i>Puccinia lagenophorae</i>	Senecio viscosus
EM	<i>Golovinomyces fischeri</i>	Senecio viscosus (Klebriges Greiskraut)
Rost	<i>Puccinia lagenophorae</i>	Senecio vulgaris
Rost	<i>Coleosporium senecionis</i>	Senecio vulgaris
FM	<i>Pustula tragopogonis</i>	Senecio vulgaris (Gemeines Greiskraut)
FM	<i>Bremia lactucae s.l.</i>	Senecio vulgaris (Gewöhnliches Greiskraut)
EM	<i>Golovinomyces fischeri</i>	Senecio vulgaris (Gewöhnliches Greiskraut)
Rost	<i>Puccinia schroeteriana</i>	Serratula tinctoria
Rost	<i>Puccinia nitida</i>	Seseli hippomarathrum
Rost	<i>Puccinia libanotidis</i>	Seseli libanotis
Brand	<i>Tilletia sesleriae</i>	Sesleria albicans (Kalk-Blaugras)
Brand	<i>Urocystis mayori</i>	Sesleria albicans (Kalk-Blaugras)
Brand	<i>Macalpinomyces neglectus</i>	Setaria pumila (Fuchsrote Borstenhirse)
FM	<i>Peronospora sherardiae</i>	Sherardia arvensis (Ackerröte)
Rost	<i>Puccinia silai</i>	Silaum silaus
EM	<i>Erysiphe heraclei</i>	Silaum silaus (Wiesensilge)
Rost	<i>Microbotryum silenes-acaulis</i>	Silene acaulis subsp. exscapa
Rost	<i>Microbotryum silenes-dioicae</i>	Silene dioica
Rost	<i>Puccinia arenariae</i>	Silene dioica
Rost	<i>Uromyces verruculosus</i>	Silene dioica
Rost	<i>Microbotryum violaceoverrucosum</i>	Silene italica
Rost	<i>Microbotryum lychnidis-dioicae</i>	Silene latifolia
Rost	<i>Puccinia arenariae</i>	Silene latifolia
Rost	<i>Uromyces verruculosus</i>	Silene latifolia subsp. alba
Rost	<i>Microbotryum violaceum s.str.</i>	Silene nutans
Rost	<i>Uromyces inaequialtus</i>	Silene nutans
Rost	<i>Microbotryum majus</i>	Silene otites
Rost	<i>Microbotryum lagerheimii</i>	Silene rupestris
Rost	<i>Microbotryum silenes-inflatae</i>	Silene uniflora
Rost	<i>Microbotryum lagerheimii</i>	Silene viscaria
Rost	<i>Uromyces cristatus</i>	Silene viscaria
Rost	<i>Microbotryum silenes-inflatae</i>	Silene vulgaris
Rost	<i>Microbotryum violaceo-irregulare</i>	Silene vulgaris
Rost	<i>Puccinia behenis</i>	Silene vulgaris
Rost	<i>Uromyces behenis</i>	Silene vulgaris subsp. glareosa
Rost	<i>Microbotryum lychnidis-dioicae</i>	Silene x hampeana
Rost	<i>Puccinia isiacae</i>	Sinapis alba

FM	<i>Hyaloperonospora brassicae</i>	Sinapis alba (Weißer Senf)
FM	<i>Albugo candidas.l.</i>	Sinapis arvensis (Acker-Senf)
EM	<i>Erysiphe cruciferarum</i>	Sinapis arvensis (Acker-Senf)
FM	<i>Albugo candidas.l.</i>	Sisymbrium altissimum (Hohe Rauke)
FM	<i>Hyaloperonospora sisymbrii-loeselii</i>	Sisymbrium altissimum (Hohe Rauke)
EM	<i>Erysiphe cruciferarum</i>	Sisymbrium altissimum (Hohe Rauke)
Rost	<i>Puccinia isiacae</i>	Sisymbrium cf. virgatum
FM	<i>Albugo candidas.l.</i>	Sisymbrium loeselii (Loesels Rauke)
FM	<i>Albugo candidas.l.</i>	Sisymbrium officinale (Gewöhnliche Wegrauke)
FM	<i>Hyaloperonospora sisymbrii-loeselii</i>	Sisymbrium officinale (Gewöhnliche Wegrauke)
EM	<i>Erysiphe cruciferarum</i>	Sisymbrium officinale (Weg-Rauke)
Rost	<i>Puccinia smyrnii</i>	Smyrniolum olusatrum
EM	<i>Pseudoidium neolycopersici</i>	Solanum lycopersicum (Tomate)
Rost	<i>Puccinia soldanellae</i>	Soldanella alpicola
Rost	<i>Puccinia soldanellae</i>	Soldanella alpina
EM	<i>Golovinomyces asterum var. solidaginis</i>	Solidago canadensis (Kanadische Goldrute)
Rost	<i>Coleosporium solidaginis</i>	Solidago gigantea
EM	<i>Golovinomyces asterum var. solidaginis</i>	Solidago gigantea (Riesen-Goldrute)
Rost	<i>Puccinia eriophori-alpini</i>	Solidago virgaurea
Rost	<i>Puccinia virgae-aureae</i>	Solidago virgaurea
Rost	<i>Uromyces sommerfeltii</i>	Solidago virgaurea
Rost	<i>Coleosporium sonchi</i>	Sonchus arvensis
Rost	<i>Puccinia pseudosphaeria</i>	Sonchus arvensis
FM	<i>Bremia stellata</i>	Sonchus arvensis (Acker-Gänsedistel)
EM	<i>Golovinomyces sonchicola</i>	Sonchus arvensis (Acker-Gänsedistel)
Rost	<i>Coleosporium sonchi</i>	Sonchus asper
Rost	<i>Puccinia pseudosphaeria</i>	Sonchus asper
EM	<i>Golovinomyces sonchicola</i>	Sonchus asper (Rauhe Gänsedistel)
Rost	<i>Puccinia littoralis</i>	Sonchus bulbosus
Rost	<i>Coleosporium sonchi</i>	Sonchus oleraceus
FM	<i>Bremia stellata</i>	Sonchus oleraceus (Kohl-Gänsedistel)
EM	<i>Golovinomyces sonchicola</i>	Sonchus oleraceus (Kohl-Gänsedistel)
Rost	<i>Coleosporium sonchi</i>	Sonchus palustris
Rost	<i>Puccinia pseudosphaeria</i>	Sonchus palustris
Rost	<i>Gymnosporangium tremelloides</i>	Sorbus aria
Rost	<i>Gymnosporangium cornutum</i>	Sorbus aucuparia
EM	<i>Podosphaera aucupariae</i>	Sorbus aucuparia (Eber-Esche)
FM	<i>Peronospora obovata</i>	Spergula arvensis (Acker-Spörgel)
FM	<i>Peronospora vernalis</i>	Spergula morisonii (Frühlings-Spörgel)
FM	<i>Peronospora lepigoni</i>	Spergularia rubra (Rote Schuppenmiere)
Rost	<i>Puccinia betonicae</i>	Stachys officinalis
FM	<i>Peronospora stachydis</i>	Stachys palustris (Sumpf-Ziest)
EM	<i>Neoerysiphe galeopsidis</i>	Stachys palustris (Sumpf-Ziest)

Rost	<i>Puccinia betonicae</i>	Stachys pradica
Rost	<i>Puccinia stachydis</i>	Stachys recta
EM	<i>Neoverysiphe galeopsidis</i>	Stachys sylvatica (Wald-Ziest)
Rost	<i>Melampsorella caryophyllacearum</i>	Stellaria alsine
Rost	<i>Microbotryum stellariae</i>	Stellaria alsine
Rost	<i>Puccinia arenariae</i>	Stellaria alsine
Rost	<i>Microbotryum stellariae</i>	Stellaria aquatica
Rost	<i>Puccinia arenariae</i>	Stellaria aquatica
Rost	<i>Melampsorella caryophyllacearum</i>	Stellaria graminea
Rost	<i>Microbotryum stellariae</i>	Stellaria graminea
Rost	<i>Puccinia arenariae</i>	Stellaria graminea
Rost	<i>Melampsorella caryophyllacearum</i>	Stellaria holostea
Rost	<i>Microbotryum stellariae</i>	Stellaria holostea
Rost	<i>Puccinia arenariae</i>	Stellaria holostea
Rost	<i>Puccinia arenariae</i>	Stellaria media
FM	<i>Peronospora alsinearum</i>	Stellaria media agg. (Vogelmiere)
Rost	<i>Melampsorella caryophyllacearum</i>	Stellaria nemorum
Rost	<i>Puccinia arenariae</i>	Stellaria nemorum
FM	<i>Peronospora alsinearum</i>	Stellaria pallida (Bleiche Sternmiere)
Brand	<i>Tranzscheliella hypodytes</i>	Stipa capillata (Haar-Pfriemengras)
EM	<i>Erysiphe symphoricarpi</i>	Symphoricarpos albus (Gewöhnliche Schneebeere)
EM	<i>Golovinomyces asterum var. morczkovskii</i>	Symphyotrichum cordifolium, cult. (Herzblättrige Aster)
EM	<i>Golovinomyces asterum var. morczkovskii</i>	Symphyotrichum laeve, cult. (Glatt Aster)
EM	<i>Golovinomyces asterum var. morczkovskii</i>	Symphyotrichum novi-belgii, cult. (Belgische Aster)
Rost	<i>Melampsorella symphyti</i>	Symphytum bohemicum
Rost	<i>Puccinia symphyti-bromorum</i>	Symphytum bohemicum
EM	<i>Golovinomyces asperifoliorum</i>	Symphytum grandiflorum (Großblütiger Beinwell)
Rost	<i>Melampsorella symphyti</i>	Symphytum officinale
Rost	<i>Puccinia symphyti-bromorum</i>	Symphytum officinale
Brand	<i>Entyloma serotinum.str.</i>	Symphytum officinale (Echter Beinwell)
Rost	<i>Melampsorella symphyti</i>	Symphytum tuberosum
Rost	<i>Puccinia symphyti-bromorum</i>	Symphytum tuberosum
Rost	<i>Melampsorella symphyti</i>	Symphytum uplandicum
EM	<i>Golovinomyces asperifoliorum</i>	Symphytum x uplandicum (Futter-Beinwell)
Rost	<i>Puccinia pyrethri</i>	Tanacetum corymbosum
Rost	<i>Puccinia heeringiana</i>	Tanacetum parthenium
Rost	<i>Puccinia tanacetii</i>	Tanacetum vulgare
FM	<i>Paraperonospora tanacetii</i>	Tanacetum vulgare (Gewöhnlicher Rainfarn)
EM	<i>Golovinomyces macrocarpus</i>	Tanacetum vulgare (Rainfarn)
Rost	<i>Puccinia silvatica</i>	Taraxacum sect. Ruderalia
Rost	<i>Puccinia taraxaci</i>	Taraxacum sect. Ruderalia

Rost	<i>Puccinia variabilis</i>	Taraxacum sect. Ruderalia
EM	<i>Podosphaera erigerontis-canadensis</i>	Taraxacum sect. Ruderalia (Wiesen-Löwenzahn)
Taph	<i>Protomyces pachydermus s.str.</i>	Taraxacum sect. Ruderalia (Wiesen-Löwenzahn)
Rost	<i>Coleosporium telekiae</i>	Telekia speciosa
EM	<i>Podosphaera macrospora</i>	Tellima grandiflora, cult. (Falsche Alraunenwurzel)
Rost	<i>Puccinia chamaedryos</i>	Teucrium chamaedrys
Rost	<i>Puccinia annularis</i>	Teucrium divaricatum
Rost	<i>Puccinia annularis</i>	Teucrium flavum
Rost	<i>Puccinia teucrii</i>	Teucrium fruticans
Rost	<i>Puccinia constricta</i>	Teucrium montanum
Rost	<i>Puccinia annularis</i>	Teucrium scorodonia
Rost	<i>Aecidium thalictri</i>	Thalictrum aquilegifolium
Rost	<i>Aecidium thalictri</i>	Thalictrum flavum
Rost	<i>Aecidium thalictri</i>	Thalictrum minus
Brand	<i>Urocystis sorosporioides</i>	Thalictrum minus (Kleine Wiesenraute)
Rost	<i>Puccinia mougeotii</i>	Thesium alpinum
Rost	<i>Puccinia thesii</i>	Thesium alpinum
EM	<i>Erysiphe thesii</i>	Thesium alpinum (Alpen-Leinblatt)
FM	<i>Hyaloperonospora thlaspeos-arvensis</i>	Thlaspi arvense (Acker-Hellerkraut)
EM	<i>Erysiphe cruciferarum</i>	Thlaspi arvense (Acker-Hellerkraut)
Rost	<i>Puccinia thlaspeos</i>	Thlaspi caerulea
EM	<i>Golovinomyces monardae</i>	Thymus praecox (Frühlblühender Thymian)
Rost	<i>Puccinia chlorocrepidis</i>	Tolpis staticifolia
Rost	<i>Puccinia nitida</i>	Tordylium pestalozzae
Rost	<i>Puccinia chaerophylli</i>	Torilis japonica
Brand	<i>Antherospora tractemae</i>	Tractema verna
Rost	<i>Puccinia brachycyclica</i>	Tragopogon orientalis
Rost	<i>Puccinia hysteriorum</i>	Tragopogon orientalis
Rost	<i>Puccinia brachycyclica</i>	Tragopogon pratensis
Rost	<i>Puccinia hysteriorum</i>	Tragopogon pratensis
EM	<i>Golovinomyces cichoracearum</i>	Tragopogon pratensis (Wiesen-Bocksbart)
Rost	<i>Microbotryum tragopogonis-pratensis</i>	Tragopogon pratensis s.str.
Rost	<i>Microbotryum tragopogonis-pratensis</i>	Tragopogon pratensis subsp. orientalis
Brand	<i>Urocystis trientalis</i>	Trientalis europaea (Europäischer Siebenstern)
EM	<i>Erysiphe trifoliorum</i>	Trifolium alpestre, cult. (Alpen-Klee)
Rost	<i>Uromyces striatus</i>	Trifolium arvense
FM	<i>Peronospora trifolii-arvensis</i>	Trifolium arvense (Hasenklee)
EM	<i>Erysiphe trifoliorum</i>	Trifolium arvense (Hasen-Klee)
Rost	<i>Uromyces minor</i>	Trifolium campestre
EM	<i>Erysiphe trifoliorum</i>	Trifolium campestre (Feld-Klee)
FM	<i>Peronospora trifolii-arvensis</i>	Trifolium campestre (Feld-Klee)
Rost	<i>Uromyces minor</i>	Trifolium dubium
FM	<i>Peronospora trifolii-arvensis</i>	Trifolium dubium (Kleiner Klee)
EM	<i>Erysiphe trifoliorum</i>	Trifolium dubium (Kleiner Klee)

Rost	<i>Uromyces trifolii-repentiss.str.</i>	Trifolium fragiferum
Rost	<i>Uromyces trifolii-repentiss.str.</i>	Trifolium hybridum
FM	<i>Peronospora trifolii-hybridi</i>	Trifolium hybridum (Schweden-Klee)
FM	<i>Peronospora trifoliorum</i>	Trifolium medium (Mittlerer Klee)
Rost	<i>Uromyces minor</i>	Trifolium montanum
Rost	<i>Uromyces fallens</i>	Trifolium pratense
FM	<i>Peronospora trifolii-hybridi</i>	Trifolium pratense (Rot-Klee)
Rost	<i>Uromyces flectens</i>	Trifolium repens
Rost	<i>Uromyces trifolii-repentiss.str.</i>	Trifolium repens
Rost	<i>Uromyces trifolii-repentiss.str.</i>	Trifolium resupinatum
Brand	<i>Entyloma matricariae</i>	Tripleurospermum perforatum (Geruchlose Kamille)
FM	<i>Peronospora ranunculi</i>	Tripleurospermum perforatum (Geruchlose Kamille)
Rost	<i>Puccinia asteris</i>	Tripolium pannonicum
Rost	<i>Puccinia graminis</i>	Trisetum flavescens
Rost	<i>Puccinia triseti</i>	Trisetum flavescens
Rost	<i>Puccinia triticina</i>	Triticum aestivum
Brand	<i>Tilletia caries</i>	Triticum aestivum (Weizen)
Rost	<i>Coleosporium sp.</i>	Tropaeolum minus
Rost	<i>Puccinia prostii</i>	Tulipa sylvestris
Rost	<i>Coleosporium tussilaginis s.str.</i>	Tussilago farfara
Rost	<i>Puccinia poarum s. str.</i>	Tussilago farfara
EM	<i>Erysiphe ulmi</i>	Ulmus glabra (Bergulme)
Rost	<i>Puccinia urospermi</i>	Urospermum dalechampii
Rost	<i>Puccinia iridis</i>	Urtica dioica
Rost	<i>Puccinia urticata s. l.</i>	Urtica dioica
FM	<i>Pseudoperonospora urticae</i>	Urtica dioica (Große Brennnessel)
EM	<i>Erysiphe urticae</i>	Urtica dioica subsp. dioica (Große Brennnessel)
EM	<i>Erysiphe urticae</i>	Urtica dioica subsp. subinermis (Brennhaarlose Brennnessel)
EM	<i>Erysiphe urticae</i>	Urtica urens (Kleine Brennnessel)
Rost	<i>Thekopsora minima</i>	Vaccinium corymbosum
Rost	<i>Thekopsora vacciniumorum</i>	Vaccinium myrtillus
Brand	<i>Exobasidium arescens</i>	Vaccinium myrtillus (Heidelbeere)
Brand	<i>Exobasidium myrtilli</i>	Vaccinium myrtillus (Heidelbeere)
Rost	<i>Thekopsora vacciniumorum</i>	Vaccinium oxycoccus
Rost	<i>Thekopsora vacciniumorum</i>	Vaccinium uliginosum
Brand	<i>Exobasidium pachysporum</i>	Vaccinium uliginosum (Rauschbeere)
Brand	<i>Exobasidium vaccinii-uliginosi</i>	Vaccinium uliginosum (Rauschbeere)
Rost	<i>Thekopsora goeppertiana</i>	Vaccinium vitis-idaea
Rost	<i>Thekopsora vacciniumorum</i>	Vaccinium vitis-idaea
Brand	<i>Exobasidium vaccinii</i>	Vaccinium vitis-idaea (Preiselbeere)
Rost	<i>Uromyces valerianae</i>	Valeriana dioica
Rost	<i>Uromyces valerianae</i>	Valeriana montana
EM	<i>Golovinomyces orontii</i>	Valeriana montana (Berg-Baldrian)
Rost	<i>Uromyces valerianae</i>	Valeriana officinalis
EM	<i>Golovinomyces orontii</i>	Valeriana officinalis agg. (Gewöhnlicher Baldrian)
FM	<i>Peronospora valerianae</i>	Valeriana officinalis s.l. (Gewöhnlicher Baldrian)

Rost	<i>Uromyces valerianae</i>	Valeriana tripteris
Rost	<i>Puccinia cynodontis</i>	Valerianella carinata
FM	<i>Peronospora valerianellae</i>	Valerianella carinata (Gekielter Feldsalat)
FM	<i>Peronospora valerianellae</i>	Valerianella dentata (Gezähnter Feldsalat)
Rost	<i>Puccinia gladioli</i>	Valerianella microcarpa
Rost	<i>Puccinia gladioli</i>	Valerianella sp.
Rost	<i>Puccinia veratri</i>	Veratrum album
Rost	<i>Uromyces veratri</i>	Veratrum album
Rost	<i>Uromyces veratri</i>	Veratrum lobelianum
Rost	<i>Uromyces verbasci</i>	Verbascum densiflorum
EM	<i>Golovinomyces verbasci</i>	Verbascum nigrum (Schwarze Königskerze)
Rost	<i>Uromyces verbasci</i>	Verbascum phlomoides
EM	<i>Golovinomyces verbasci</i>	Verbascum thapsus (Kleinblütige Königskerze)
EM	<i>Podosphaera xanthii</i>	Verbena bonariensis (Argentinisches Eisenkraut)
FM	<i>Peronospora verbenae</i>	Verbena officinalis (Gewöhnliches Eisenkraut)
FM	<i>Peronospora agrestis</i>	Veronica arvensis (Acker-Ehrenpreis)
FM	<i>Peronospora grisea</i>	Veronica beccabunga (Bachbunge)
EM	<i>Podosphaera fuliginea</i>	Veronica gentianoides (Enzianartiger Ehrenpreis)
FM	<i>Peronospora arvensis</i>	Veronica hederifolia s.str. (Efeu-Ehrenpreis)
FM	<i>Peronospora arvensis</i>	Veronica hederifolia subsp. lucorum (Schwachgelappter Efeu-Ehrenpreis)
Rost	<i>Puccinia veronicae-longifoliae</i>	Veronica longifolia
EM	<i>Podosphaera fuliginea</i>	Veronica longifolia (Langblättriger Ehrenpreis)
Rost	<i>Puccinia veronicae</i>	Veronica montana
FM	<i>Peronospora agrestis</i>	Veronica persica (Persischer Ehrenpreis)
EM	<i>Podosphaera fuliginea</i>	Veronica persica (Persischer Ehrenpreis)
FM	<i>Peronospora agrestis</i>	Veronica polita (Glänzender Ehrenpreis)
Brand	<i>Entyloma veronicae</i>	Veronica serpyllifolia (Quendelblättriger Ehrenpreis)
FM	<i>Peronospora grisea</i>	Veronica serpyllifolia (Quendelblättriger Ehrepreis)
Rost	<i>Puccinia veronicae-longifoliae</i>	Veronica spicata
FM	<i>Peronospora grisea</i>	Veronica teucrium (Großer Ehrenpreis)
Rost	<i>Puccinia veronicarum</i>	Veronica urticifolia
EM	<i>Erysiphe viburni</i>	Viburnum lantana (Wolliger Schneeball)
EM	<i>Erysiphe viburni</i>	Viburnum opulus (Gewöhnlicher Schneall)
Rost	<i>Uromyces viciae-fabae</i>	Vicia angustifolia
Rost	<i>Uromyces viciae-fabae</i>	Vicia bithynica
Rost	<i>Uromyces viciae-craccae</i>	Vicia cassubica
Rost	<i>Uromyces fischeri-eduardi</i>	Vicia cracca
Rost	<i>Uromyces viciae-fabae</i>	Vicia cracca
FM	<i>Peronospora mayorii</i>	Vicia cracca (Vogel-Wicke)
Rost	<i>Uromyces viciae-fabae</i>	Vicia faba
Rost	<i>Uromyces ervi</i>	Vicia hirsuta
FM	<i>Peronospora ervi</i>	Vicia hirsuta (Behaarte Wicke)
EM	<i>Erysiphe pisi</i>	Vicia hirsuta (Behaarte Wicke)
Rost	<i>Uromyces viciae-fabae</i>	Vicia hybrida
Rost	<i>Uromyces valesiacus</i>	Vicia onobrychioides
FM	<i>Peronospora viciae</i>	Vicia sativa (Saat-Wicke)

Rost	<i>Uromyces viciae-fabae</i>	Vicia sepium
FM	<i>Peronospora sepium</i>	Vicia sepium (Zaun-Wicke)
EM	<i>Erysiphe baeumleri</i>	Vicia sylvatica (Wald-Wicke)
Rost	<i>Uromyces viciae-cracca</i>	Vicia tenuifolia
Rost	<i>Puccinia vincae</i>	Vinca major
Rost	<i>Puccinia cribrata</i>	Vinca minor
Rost	<i>Cronartium flaccidum</i>	Vincetoxicum hirundinaria (
Rost	<i>Cronartium flaccidum</i>	Vincetoxicum rossicum
Rost	<i>Puccinia violae</i>	Viola anagae
FM	<i>Peronospora violae</i>	Viola arvensis (Acker-Stiefmütterchen)
EM	<i>Golovinomyces orontii-Gruppe</i>	Viola arvensis (Acker-Stiefmütterchen)
Rost	<i>Uredo alpestris</i>	Viola biflora
Rost	<i>Puccinia alpina</i>	Viola bilfora
EM	<i>Golovinomyces orontii-Gruppe</i>	Viola cornuta (Horn-Veilchen)
Rost	<i>Puccinia violae</i>	Viola hirta
Rost	<i>Puccinia violae</i>	Viola labradorica
Rost	<i>Puccinia violae</i>	Viola odorata
Rost	<i>Puccinia fergussonii</i>	Viola palustris
Rost	<i>Puccinia violae</i>	Viola reichenbachiana
Rost	<i>Puccinia violae</i>	Viola rupestris
Rost	<i>Puccinia violae</i>	Viola x bavarica
Rost	<i>Puccinia violae</i>	Viola x erdneri
FM	<i>Plasmopara viticola</i>	Vitis vinifera (Weinrebe)
EM	<i>Erysiphe necator</i>	Vitis vinifera, cult. (Weinrebe)
Rost	<i>Puccinia centaureae</i>	Volutaria tubiflora
Rost	<i>Puccinia willemetiae</i>	Willemetia stipitata
EM	<i>Golovinomyces cichoracearum-Gruppe</i>	Xanthisma texanum (Stern von Texas)
EM	<i>Podosphaera xanthii</i>	Xanthium albinum (Spitzklette)
Rost	<i>Puccinia sorghi</i>	Zea mays
Brand	<i>Ustilago maydis</i>	Zea mays (Mais)